

研究業績目録

2014年6月現在

西道隆臣

(さいどうたかおみ・Saïdo, T.C.)

- I. 原著論文 : 251編
- II. 著書 : 26編・2冊
- III. 総説・他 : 89編
(合計 368編)
- IV. 編集 : 2冊
- V. 特許 : 4件

I. 原著論文

1. Toyoshima, S., Saïdo, T.C., Makishima, F., Osawa, T. (1983). Induction of increased calcium uptake in liposomes having membrane proteins of chicken erythrocytes by S-adenosylmethionine. *Biochem. Biophys. Res. Commun.*, 114, 1126-1131.
2. Seki, H., Saïdo, T.C., Iseki, K., Whitney, F., Wong, S. (1984). Uptake kinetics of micro-organisms in the sulfuretum of Saanich Inlet, British Columbia, Canada. *Arch. Hydrobiol.*, 100, 73-82.
3. Saïdo, T.C., Toyoshima, S., Osawa, T. (1987). Protein-O-carboxylmethyltransferase from cytosol and membranes of chicken erythrocytes. *J. Biochem.*, 102, 319-326.
4. Magae, J., Osada, H., Fujiki, H., Saïdo, T.C., Suzuki, K., Nagai, K., Yamasaki, M., Isono, K. (1990). Morphological changes of human myeloid leukemia K562 cells by a protein phosphatase inhibitor, tautomycin. *Proc. Japan Acad.*, 66, 209-212.
5. Osada, S., Mizuno, K., Saïdo, T.C., Akita, Y., Suzuki, K., Kuroki, T., Ohno, S. (1990). A phorbol ester receptor/protein kinase, nPKC η , a new member of the protein kinase C family predominantly expressed in lung and skin. *J. Biol. Chem.*, 265, 22434-22440.
6. Sorimachi, H., Ohmi, S., Emori, Y., Kawasaki, H., Saïdo, T.C., Ohno, S., Minami, Y., Suzuki, K. (1990). A novel member of the calcium-dependent cysteine protease family. *Biol. Chem. Hoppe-Seyler*, 371, 171-176.
7. Kobayashi, Y., Yamamoto, K., Saïdo, T.C., Kawasaki, H., Oppenheim, J.T., Matsushima, K. (1990). Identification of calcium-activated neutral protease as a processing enzyme of human interleukin 1 α . *Proc. Natl. Acad. Sci. USA*, 87, 5548-5552.
8. Ohno, S., Akita, Y., Hata, A., Osada, S., Kubo, K., Konno, Y., Akimoto, K., Mizuno, K., Saïdo, T.C., Kuroki, T., Suzuki, K. (1991). Structural and functional diversities of a family of signal transducing protein kinases, protein kinase C; two distinct classes of PKC, conventional cPKC and novel nPKC. *Advances in Enzyme Regulation*, 31, 287-303.
9. Mori, A., Aizawa, H., Saïdo, T.C., Kawasaki, H., Mizuno, K., Murofushi, H., Suzuki, K., Sakai, H. (1991). Site-specific phosphorylation by protein kinase C inhibits assembly-promoting activity of microtubule-associated protein. *Biochemistry*, 30, 9341-9346.
10. Mizuno, K., Kubo, K., Saïdo, T.C., Akita, Y., Osada, S., Kuroki, T., Ohno, S., Suzuki, K. (1991). Structure and properties of a ubiquitously expressed protein kinase C, nPKC δ . *Eur. J. Biochem.*, 202, 931-940.
11. Saïdo, T.C., Mizuno, K., Suzuki, K. (1991). Proteolysis of protein kinase C by calpain: effect of acidic phospholipids. *Biomed. Biochim. Acta*, 50, 485-489.
12. Osada, S., Mizuno, K., Saïdo, T.C., Suzuki, K., Kuroki, T., Ohno, S. (1992). A new member of protein kinase C family, nPKC θ , predominantly expressed in skeletal muscle. *Mol. Cell. Biol.*, 12, 3930-3938.
13. Suzuki, K., Saïdo, T.C., Hirai, S. (1992). Modulation of cellular signals by calpain. *Ann. N. Y. Acad. Sci.*, 674, 218-227.
14. Saïdo, T.C., Mizuno, K., Konno, Y., Osada, S., Ohno, S., Suzuki, K. (1992). Purification and characterization of protein kinase C ϵ from rabbit brain. *Biochemistry*, 31, 482-490.
15. Saïdo, T.C., Nagao, S., Shiramine, M., Tsukaguchi, M., Sorimachi, H., Murofushi, H., Tsuchiya, T., Ito, H., Suzuki, K. (1992). Autolytic transition of μ -calpain as resolved by antibodies distinguishing between the pre- and post-autolysis forms. *J. Biochem.*, 111, 81-86.
16. Saïdo, T.C., Shibata, M., Takenawa, T., Murofushi, H., Suzuki, K. (1992). Positive regulation of μ -calpain action by polyphosphoinositides. *J. Biol. Chem.*, 267, 24585-24590.
17. Mizuno, K., Saïdo, T.C., Ohno, S., Tamaoki, T., Suzuki, K. (1993). Staurosporine-related compounds, K252a and UCN-01, inhibit both cPKC and nPKC. *FEBS Lett.*, 330, 114-116.
18. Sorimachi, H., Toyama-Sorimachi, N., Saïdo, T.C., Kawasaki, H., Sugita, H., Miyasaka, M., Arahata, K., Suzuki, K. (1993). Muscle-specific calpain, p94, is degraded by autolysis immediately after translation,

- resulting in disappearance from muscle. *J. Biol. Chem.*, 268, 10593-10605.
19. Yamaura, I., Tani, E., Saido, T.C., Suzuki, K., Minami, N., Maeda, Y. (1993). Calpain-calpastatin system of canine basilar artery in vasospasm. *J. Neurosurg.*, 79, 537-543.
 20. Saido, T.C., Suzuki, H., Yamazaki, H., Tanoue, K., Suzuki, K. (1993). *In situ* capture of μ -calpain activation in platelets. *J. Biol. Chem.*, 268, 7422-7426.
 21. Saido, T.C., Yokota, M., Nagao, S., Yamaura, I., Tani, E., Tsuchiya, T., Suzuki, K., Kawashima, S. (1993). Spatial resolution of fodrin proteolysis in postischemic brain. *J. Biol. Chem.*, 268, 25239-25243.
 22. 前田美穂・西道隆臣・渡辺淳・右田真・山本正雅・鈴木英紀・山本正生・田上憲次郎. (1994). 血小板 Calpain 活性の高値を示した先天性巨大血小板性血小板減少の1家系. *血栓止血紙*, 5, 190-198.
 23. Satake, A., Itoh, K., Shimamoto, M., Saido, T.C., Sakuraba, H., Suzuki, Y. (1994). Distribution of lysosomal protective protein in human tissues. *Biochem. Biophys. Res. Commun.*, 205, 38-43
 24. Akita, Y., Ohno, S., Yajima, Y., Konno, Y., Saido, T.C., Mizuno, K., Chida, K., Osada, S., Kuroki, T., Kawashima, S., Suzuki, K. (1994). Overexpression of Ca²⁺-independent protein kinase C isozyme, nPKC ϵ , increases the secretion of prolactin from thyrotropin-releasing hormone-stimulated rat pituitary GH4C1 cells. *J. Biol. Chem.*, 269, 4653-4660.
 25. Yokota, M., Saido, T.C., Miyaji, K., Tani, E., Kawashima, S., Suzuki, K. (1994). Stimulation of protein-tyrosine phosphorylation in gerbil hippocampus after global forebrain ischemia. *Neurosci. Lett.*, 168, 69-72.
 26. Nagao, S., Saido, T.C.(corresponding author), Akita, Y., Tsuchiya, T., Suzuki, K., Kawashima, S. (1994). Calpain-calpastatin interactions in epidermoid carcinoma KB cells. *J. Biochem.*, 115, 1178-1184.
 27. Sorimachi, H., Saido, T.C., Suzuki, K. (1994). New era of calpain research, discovery of tissue-specific calpains. *FEBS Lett.*, 343, 1-5.
 28. Saito, Y., Saido, T.C., Sano, K., Kawashima, S. (1994). The calpain-calpastatin system is regulated differentially during human neuroblastoma cell differentiation to Schwannian and neuronal cells. *FEBS Lett.*, 353, 327-331.
 29. Saido, T.C., Nagao, S., Shiramine, M., Tsukaguchi, M., Yoshizawa, T., Sorimachi, H., Ito, H., Tsuchiya, T., Kawashima, S., Suzuki, K. (1994). Distinct kinetics of subunit autolysis in mammalian m-calpain activation. *FEBS Lett.*, 346, 263-267.
 30. Saido, T.C., Sorimachi, H., Suzuki, K. (1994). Calpain: new perspectives in molecular diversity and physiological-pathological involvement. *FASEB J.*, 8, 814-822.
 31. Saido, T.C., Yokota, M., Maruyama, K., Yamao-Harigaya, W., Tani, E., Ihara, Y., Kawashima, S. (1994). Spatial resolution of the primary β -amyloidogenic process induced in postischemic brain. *J. Biol. Chem.*, 269, 15253-15257.
 32. Hong, D.H., Huan, J., Ou, B.R., Yeh, J.Y., Saido, T.C., Cheeke, P.R., Forsberg, N.E. (1995). Protein kinase C isoforms in muscle cells and their regulation by phorbol ester and calpain. *Biochim. Biophys. Acta*, 1267, 45-54.
 33. Yoshida, K., Inui, M., Harada, K., Saido, T.C., Sorimachi, Y., Ishihara, T., Kawashima, S., Sobue, K. (1995). Reperfusion of rat heart after brief ischemia induces proteolysis of caldesmon (non-erythroid spectrin or fodrin) by calpain. *Circ. Res.*, 77, 603-610.
 34. Mizuno, K., Noda, K., Ueda, Y., Hanaki, H., Saido, T.C., Ikuta, T., Kuroki, T., Tamaoki, T., Hirai, S., Osada, S., Ohno, S. (1995). UCN-01, an anti-tumor drug, is a selective inhibitor of the conventional PKC subfamily. *FEBS Lett.*, 359, 259-261.
 35. Blomgren, K., Kawashima, S., Saido, T.C., Karlsson, J.-O., Hagberg, H. (1995). Subcellular distribution of calpains and fodrin degradation after neonatal hypoxic ischemia. *Brain Res.*, 684, 143-149.
 36. Blomgren, K., McRae, A., Bona, E., Gilland, E., Saido, T.C., Karlsson, J.-O., Hagberg, H. (1995). Degradation of fodrin and MAP2 after neonatal cerebral hypoxic-ischemia. *Brain Res.*, 684, 136-142.
 37. Bednarski, E., Vanderklish, P., Gall, C., Saido, T.C., Bahr, B.A., Lynch, G. (1995). Translational suppression of calpain I reduces NMDA-induced spectrin proteolysis and pathophysiology in cultured hippocampal slices. *Brain Res.*, 694, 147-157.
 38. Vanderklish P., Saido, T.C., Gall, C., Arai, A., Lynch, G. (1995). Proteolysis of spectrin by calpain accompanies theta-burst stimulation in cultured hippocampal slices. *Mol. Brain Res.*, 32, 25-35.
 39. Harigaya, Y., Shoji, M., Kawarabayashi, T., Kanai, M., Nakamura, T., Iizuka, T., Igeta, Y., Saido, T.C., Sahara, N., Mori, H., Hirai, S. (1995). Modified amyloid β -protein ending at 42 or 40 with different solubility accumulates in the brain of Alzheimer's disease. *Biochem. Biophys. Res. Commun.*, 211, 1015-1022.
 40. Yokota, M., Saido, T.C., Tani, E., Kawashima, S., Suzuki, K. (1995). Three distinct phases of fodrin proteolysis induced in postischemic hippocampus: involvement of calpain and unidentified protease. *Stroke*, 26, 1901-1907.

41. Igarashi, K., Kaneda, M., Yamaji, A., Saido, T.C., Kikkawa, U., Ono, Y., Inoue, K., Umeda, M. (1995). A novel phosphatidylserine-binding peptide motif defined by an anti-idiotypic monoclonal antibody: localization of phosphatidylserine-specific binding sites on protein kinase C and phosphatidylserine decarboxylase. *J. Biol. Chem.*, 270, 29075-29078.
42. Martin, S.J., O'Brien, G.A., Nishioka, W.K., Mahboubi, A., Saido, T.C., Green, D.R. (1995). Proteolysis of fodrin (nonerythroid spectrin) during apoptosis. *J. Biol. Chem.*, 270, 6425-6428.
43. Saito, Y., Maruyama, K., Saido, T.C., Kawashima, S. (1995). N23K, a gene transiently up-regulated during neuronal differentiation, encodes a precursor protein for a newly identified neuropeptide Nociceptin. *Biochem. Biophys. Res. Commun.*, 217, 539-545.
44. Eto, A., Akita, Y., Saido, T.C. (corresponding author), Suzuki, K., Kawashima, S. (1995). The role of calpain-calpastatin system in thyrotropin releasing hormone-induced selective down-regulation of a protein kinase C isozyme, nPKC ϵ , in rat pituitary GH4C1 cells. *J. Biol. Chem.*, 270, 25115-25120.
45. Du, X., Saido, T.C. (two first authors), Tsubuki, S., Indig, F.E., Williams, M.J., Ginsberg, M.H. (1995). Calpain cleavage of the cytoplasmic domain of the integrin $\beta 3$ subunit. *J. Biol. Chem.*, 270, 24146-24152.
46. Saido, T.C., Iwatsubo, T., Mann, D.M.A., Shimada, H., Ihara, Y., Kawashima, S. (1995). Dominant and differential deposition of distinct β -amyloid peptide species, A β N3(pE), in senile plaques. *Neuron*, 14, 457-466.
47. Yamashita, T., Saido, T.C., Takita, M., Miyazawa, A., Yamano, J., Miyakawa, A., Nishijo, H., Ono, T., Yamashita, J., Yoshioka, T. (1996). Transient brain ischemia provokes Ca²⁺ mobilization, PIP2 overexpression and calpain activation prior to delayed CA-1 neuronal death in monkeys. *Eur. J. Neurosci.*, 8, 1932-1944.
48. Kume, H., Maruyama, K., Tomita, T., Iwatsubo, T., Saido, T.C., Obata, K. (1996). Molecular cloning of a novel basic helix-loop-helix protein from the rat brain. *Biochem. Biophys. Res. Commun.*, 219, 526-530.
49. Inomata, M., Hayashi, M., Ohno-Iwashita, Y., Tsubuki, S., Saido, T.C., Kawashima, S. (1996). Involvement of calpain in integrin-mediated signal transduction. *Arch. Biochem. Biophys.*, 328, 129-134.
50. Kanai, Y., Kanai-Azuma, M., Noce, T., Saido, T.C., Shiroishi, T., Hayashi, Y., Yazaki, K. (1996). Identification of two Sox17 mRNA isoforms, with and without the HMG-box region, and their differential expression in mouse spermatogenesis. *J. Cell Biol.*, 133, 667-681.
51. Lemere, C.A., Blusztajn, J.K., Yamaguchi, H., Wisniewski, T., Saido, T.C., Selkoe, D.J. (1996). Sequence of deposition of heterogeneous amyloid β -peptides and apo E in Down syndrome: implications for initial events in amyloid plaque formation. *Neurobiol. Disease*, 3, 16-32.
52. Yokota, M., Saido, T.C., Tani, E., Yamaura, I., Minami, N. (1996). Cytotoxic fragment of amyloid precursor protein accumulates in hippocampus after global forebrain ischemia. *J. Cereb. Blood Flow Metabol.*, 16, 1219-1223.
53. Saito, Y., Maruyama, K., Kawano, J., Yamagishi, K., Saido, T.C., Kawashima, S. (1996). Molecular cloning and characterization of a novel form of neuropeptide precursor gene as a developmentally regulated molecule. *J. Biol. Chem.*, 271, 15615-15622.
54. Saido, T.C., Yamao-Harigaya, W., Iwatsubo, T., Kawashima, S. (1996). Amino- and carboxyl-terminal heterogeneity of β -amyloid peptides deposited in human brain. *Neurosci. Lett.*, 215, 173-176.
55. Iwatsubo, T., Saido, T.C., Mann, D.M.A., Lee, V.M.-Y., Trojanowski, J.Q. (1996). Full-length A β (1-42(43)) as well as amino-terminally modified and truncated A β 42(43) deposit in diffuse plaques. *Am. J. Pathol.*, 149, 1823-1830.
56. Lemere, C.A., Lopera, F., Kosik, K.S., Lendon, C.L., Ossa, J., Saido, T.C., Yamaguchi, H., Ruiz, A., Martinez, A., Madrigal, L., Hincapie, L., Arango L., J.C., Anthony, D.C., Koo, E.H., Goate, A.M., Selkoe, D.J., Arango V., J.C. (1996). The E280A Presenilin 1 mutation leads to a distinct Alzheimer's disease phenotype: Increased A β 42 deposition and severe cerebellar pathology. *Nature Med.*, 2, 1146-1150.
57. Maruyama, K., Tomita, T., Shinozaki, K., Kume, H., Asada, H., Saido, T.C., Ishiura, S., Iwatsubo, T., Obata, K. (1996). Familial Alzheimer's disease-linked mutations at Val717 of amyloid precursor protein are specific for the increased secretion of A β 42(43). *Biochem. Biophys. Res. Commun.*, 227, 730-735.
58. Blomgren, K., McRae, A., Elmered, A., Kawashima, S., Saido, T.C., Ono, T., Hagberg, H. (1997). The calpain proteolytic system in neonatal hypoxic-ischemia. *Ann. New York Acad. Sci.*, 825, 104-119.
59. Kuda, T., Shoji, M., Arai, H., Kawashima, S., Saido, T.C. (1997). Reduction of plasma glutamyl aminopeptidase activity in sporadic Alzheimer's disease. *Biochem. Biophys. Res. Commun.*, 231, 526-530.
60. Tomita, T., Maruyama, K., Saido, T.C., Kume, H., Shinozaki, K., Tokuhira, S., Capell, A., Walter, J., Gruenberg, J., Haass, C., Iwatsubo, T., Obata, K. (1997). The presenilin 2 mutation (N141I) linked to familial Alzheimer's disease (Volga German families) increases the secretion of amyloid β protein ending

- at A β 42(43). *Proc. Nat. Acad. Sci. USA*, 94, 2025-2030.
61. Mann, D.M.A., Iwatsubo, T., Pickering-Brown, S.M., Owen, F., Saido, T.C., Perry, R.H. (1997). Preferential Deposition of amyloid β protein (A β) in the form of A β 40 in Alzheimer's disease is associated with a gene dosage effect of the apolipoprotein E E4 allele. *Neurosci. Lett.*, 221, 81-84.
 62. Mann, D.M.A., Pickering-Brown, Byatt, N.N., Wright, A.E., Owen, F., Iwatsubo, T., Saido, T.C. (1997). An intronic polymorphism in the presenilin-1 gene does not influence the amount or molecular form of the amyloid β protein deposited in Alzheimer's disease. *Neurosci. Lett.*, 222, 57-60.
 63. Saito, Y., Maruyama, K., Saido, T.C., Kawashima, S. (1997). Overexpression of a neuropeptide nociceptin/orphanin FQ precursor gene, N23K/N27K, induces neurite outgrowth in mouse NS20Y cells. *J. Neurosci. Res.*, 48, 397-406.
 64. Saido, T.C. (1998). Alzheimer's disease as proteolytic disorders: Anabolism and catabolism of β -amyloid. *Neurobiol. Aging*, 19, S69-S75.
 65. Saido, T.C., Kawashima, S., Tani, E., Yokota, M. (1997). Up- and down-regulation of calpain inhibitor polypeptide, calpastatin, in postischemic hippocampus. *Neurosci. Lett.*, 227, 75-78.
 66. Russo, C., Saido, T.C., DeBusk, L.M., Tabaton, M., Gambetti, P., Teller, J.K. (1997). Heterogeneity of water-soluble amyloid β -peptide in Alzheimer's disease and Down's syndrome brains. *FEBS Lett.*, 409, 411-416.
 67. Yamazaki, T., Haass, C., Saido, T.C., Omura, S., Ihara, Y. (1997). Specific increase in amyloid β -protein42 secretion ratio by calpain inhibition. *Biochemistry*, 36, 8377-8383.
 68. Kouchi, Z., Saido, T.C., Ohyama, H., Maruta, H., Suzuki, K., Tanuma, S. (1997). The restrictive proteolysis of α -fodrin to a 120kDa fragment is not catalyzed by calpains during thymic apoptosis. *Apoptosis*, 2, 84-89.
 69. Yamazaki, M., Suga, Y., Ishidoh, K., Saido, T.C., Kawashima, S., Suzuki, K., Kominami, E., Ogawa, H. (1997). Cytoplasmic processing of human profilaggrin by active μ -calpain. *Biochem. Biophys. Res. Commun.*, 235, 652-656.
 70. Didier, M., Xu, M., Berman, S.A., Saido, T.C., Bursztajn, S. (1997). Involvement of three glutamate receptor ϵ subunits in the formation of N-methyl-D-aspartate receptors mediating excitotoxicity in primary cultures of mouse cerebellar granule cells. *Neuroscience*, 78, 1129-1146.
 71. Yan, S.D., Fu, J., Soto, C., Chen, X., Zhu, H., Al-Mohanna, F., Collison, K., Zhu, A., Stern, E., Saido, T.C., Tohyama, M., Ogawa, S., Roher, A., Stern, D. (1997). ERAB: A novel intracellular amyloid- β peptide binding protein which mediates neurotoxicity in Alzheimer's disease. *Nature*, 389, 689-695.
 72. Schoenwaelder, S.M., Kulkarni, S., Salem, H.H., Imajoh-Ohmi, S., Yamao-Harigaya, W., Saido, T.C., Jackson, S.P. (1997). Distinct substrate specificities and functional roles for the 78 and 76 kDa forms of μ -calpain in human platelets. *J. Biol. Chem.*, 272, 24876-24884.
 73. Shin, R.W., Ogino, K., Kondo, A., Saido, T.C., Trojanowski, J.Q., Kitamoto, T., Tateishi, J. (1997). Amyloid β -protein (A β) 1-40 but not A β 1-42 contributes experimental formation of Alzheimer disease amyloid fibrils in rat brain. *J. Neurosci.*, 17, 8187-8193.
 74. Tekirian, T.L., Saido, T.C., Markesbery, W.R., Russell, M.J., Wekstein, D.R., Patel, E., Geddes, J.W. (1998). Amino terminus heterogeneity of Parenchymal and Cerebrovascular β -amyloid deposits in aged human, canine, and polar bear brains. *J. Neuropathol. Exp. Neurol.*, 57, 76-94.
 75. Sorimachi, Y., Harada, K., Saido, T.C., Ono, T., Kawashima, S., Yoshida, K. (1997). Downregulation of calpastatin in rat heart after brief ischemia and reperfusion. *J. Biochem.*, 122, 743-748.
 76. Inomata, M., Nomura, K., Takehana, M., Saido, T.C., Kawashima, S., Shumiya, S. (1997). Evidence for involvement of calpain in the cataractogenesis in Shumiya Cataract Rat. *Biochim. Biophys. Acta*, 1362, 11-23.
 77. Schmidt, M.L., Lee, V.M.-Y., Saido, T.C., Perl, D., Schuck, T., Iwatsubo, T., Trojanowski, J.Q. (1998). Amyloid plaques in Guam ALS and Parkinsonism-dementia complex contain species of A β similar to those found in the amyloid plaques of Alzheimer's disease. *Acta Neuropathol.*, 95, 117-122.
 78. Oyama, F., Sawamura, N., Kobayashi, K., Morishima-Kawashima, M., Kuramochi, T., Ito, M., Tomita, T., Maruyama, K., Saido, T.C., Iwatsubo, T., Capell, A., Walter, J., Grunberg, J., Ueyama, Y., Haass, C., Ihara, Y. (1998). Mutant presenilin 2 transgenic mouse: Effect on an age-dependent increase of amyloid β -protein (A β)42 in brain. *J. Neurochem.*, 71, 313-322.
 79. Frautschy, S.A., Yang, F., Irrizarry, M., Hyman, B., Saido, T.C., Hsiao, K., Cole, G.M. (1998). Microglial response to amyloid plaques in APPsw transgenic mice. *Am. J. Pathol.*, 152, 307-317.
 80. Tokuhiro, S., Tomita, T., Iwata, H., Kosaka, T., Saido, T.C., Maruyama, K., Iwatsubo, T. (1998). The presenilin 1 mutation (M146V) linked to familial Alzheimer's disease attenuates the neuronal differentiation of NTera 2 cells. *Biochem. Biophys. Res. Commun.*, 244, 751-755.
 81. Shinozaki, K., Maruyama, K., Kume, H., Tomita, T., Saido, T.C., Iwatsubo, T., Obata, K. (1998). The presenilin 2 loop domain interacts with the μ -calpain C-terminal region. *Int. J. Mol. Med.*, 1, 797-799.

82. Sudoh, S., Kawamura, Y., Sato, S., Wang, R., Saido, T.C., Oyama, F., Sakaki, Y., Komano, H., Yanagisawa, K. The presenilin 1 mutations linked to familial Alzheimer's disease elevate a production of N-terminally truncated A β 42 variant, A β 11-42, which is generated through distinct processing pathway from A β 1-42. (1998). *J. Neurochem.*, 1535-1543.
83. Funato, H., Yoshimura, M., Yamazaki, T., Saido, T.C., Ito, Y., Yokofujita, J., Odaka, R., Ihara, Y. (1998). Astrocytes containing amyloid β -protein (A β)-positive granules are associated with A β 40-positive diffuse plaques in the aged human brain. *Am. J. Pathol.*, 152, 983-992.
84. Kimura, Y., Koga, H., Araki, N., Mugita, N., Fujita, N., Takeshima, H., Nishi, T., Yamashima, T., Saido, T.C., Yamasaki, T., Moritake, K., Saya, H., Nakao, M. (1998). The involvement of calpain-dependent proteolysis of the tumor suppressor NF2 (merlin) in schwannomas and meningiomas. *Nature Med.*, 8, 915-922.
85. Ono, Y., Shimada, H., Sorimachi, H., Richard, I., Saido, T.C., Beckmann, J.S., Ishiura, S., Suzuki, K. (1998). Functional defects of a muscle-specific calpain, p94, caused by mutations associated with Limb-Girdle muscular dystrophy type 2A. *J. Biol. Chem.*, 273, 17073-17078.
86. Yamaguchi, H., Sugihara, S., Ogawa, A., Saido, T.C., Ihara, Y. (1998). Diffuse plaques associated with astroglial amyloid β protein, possibly showing a disappearing stage of senile plaques. *Acta Neuropathol.*, 95, 217-222.
87. Meredith, J.Jr., Mu, Z., Saido, T.C., Du, X. (1998). Cleavage of the cytoplasmic domain of the integrin β 3 subunit during endothelial cell apoptosis. *J. Biol. Chem.*, 273, 19525-19531.
88. Akiyama, H., Mori, H., Saido, T.C., Kondo, H., Ikeda, K., McGeer, P.L. (1998). Occurrence of the diffuse deposits with numerous amyloid β -protein(A β)-containing glial cells in the cerebral cortex of patients with Alzheimer's disease. *Glia*, 4, 324-331.
89. Tomita, T., Tokuhiro, S., Hashimoto, T., Aiba, K., Saido, T.C., Maruyama, K., Iwatsubo, T. (1998). Molecular dissection of domains in mutant presenilin 2 that mediate overproduction of amyloidogenic forms of amyloid β peptides. *J. Biol. Chem.*, 273, 21153-21160.
90. Frautschy, S.A., Horn, D.L., Sigel, J.J., Harris-White, M.E., Mendoza, J.J., Yang, F., Saido, T.C., Cole, G.M. (1998). Protease inhibitor coinfusion with amyloid β -protein results in enhanced deposition and toxicity in rat brain. *J. Neurosci.*, 18, 8311-8321.
91. Hiwasa, T., Nakamura, Y., Ozaki, T., Kondo, K., Saido, T., Nakagawara, A. and Sakiyama, S. (1998). Down-regulation of protein kinase C α and γ and enhanced TPA-induced neurite formation in DAN-transfected neuroblastoma cells. *FEBS Lett.*, 440, 25-28.
92. Ishidoh, K., Saido, T.C., Kawashima, S., Hirose, M., Watanabe, S., Sato, N., Kominami, E. (1998). Multiple processing of procathepsin L to cathepsin L *in vivo*. *Biochem. Biophys. Res. Commun.*, 252, 202-207.
93. Kitagawa, K., Matsumoto, M., Saido, T.C., Ohtuki, T., Kuwabara, K., Yagita, Y., Mabuchi, T., Yanagihara, T., Hori, M. (1999). Species differences in fodrin proteolysis in the ischemic brain. *J. Neurosci. Res.*, 643-649.
94. Honda, T., Yasutake, K., Nihonmatsu, N., Merchen, M., Takahashi, H., Murayama, O., Murayama, M., Sato, K., Omori, A., Tsubuki, S., Saido, T.C., Takashima, A. (1999). Dual roles of proteasome in the metabolism of presenilin 1. *J. Neurochem.*, 72, 255-261.
95. Hosoda, R., Saido, T.C., Otvos, L.Jr., Arai, T., Mann, D.M.A., Lee, V.M.-Y., Trojanowski, J.Q., Iwatsubo, T. (1998). Quantitation of modified amyloid β peptides in Alzheimer disease and down syndrome brains *J. Neuropathol. Exp. Neurol.*, 57, 1089-1095.
96. Yokota, M., Tani, E., Tsubuki, S., Yamaura, I., Nakagaki, I., Hori, S., Saido, T.C. (1999). Calpain inhibitor entrapped in liposome rescues ischemic neuronal damage. *Brain Res.*, 819, 8-14.
97. Kubo, H., Matsushita, M., Kotani, M., Kawasaki, H., Saido, T.C., Kawashima, S., Katagiri, C., Suzuki, A. (1999). Molecular basis for oviductin-mediated processing from gp43 to gp41, the predominant glycoproteins of *Xenopus* egg envelopes. *Dev. Genet.*, 25, 123-129.
98. Eto, A., Saido, T.C., Fukushima, K., Tomioka, S., Imai, S., Nishizawa, T., Hanada, N. (1999). Inhibitory effect of a self-derived peptide on glycosyltransferase of *Streptococcus mutans*. Possible novel anticaries measures. *J. Biol. Chem.*, 274, 15797-15802.
99. Saido, T.C. (2000). Involvement of polyglutamine endolysis followed by pyroglutamate formation in the pathogenesis of triplet repeat/polyglutamine-expansion diseases. *Med. Hypotheses*, 54, 427-429.
100. Ray, S.K., Shields, D.C., Saido, T.C., Matzelle, D.C., Wilford, G.G., Hogan, E.L., Banik, N.L. (1999). Calpain activity and translational expression increased in spinal cord injury. *Brain Res.*, 816, 375-380.
101. Nakagawa, Y., Nakamura, M., McIntosh, T.K., Rodriguez, A., Berlin J.A., Smith, D.H., Saatman, K.E., Raghupathi, R., Clemens, J., Saido, T.C., Schmidt, M.L., Lee, V.M.-Y., and Trojanowski, J.Q. (1999). Traumatic brain injury in young PDAPP transgenic mice induces marked ipsilateral hippocampal atrophy and diminished A β deposition during aging. *J. Comp. Neurol.*, 411, 390-398.

102. Kulkarni, S., Saido, T.C., Suzuki, K., Fox, J.E.B. (1999). Calpain mediates integrin-induced signals at a point upstream of rho family members. *J. Biol. Chem.*, 274, 21265-21275.
103. Blomgren, K., Hallin, U., Anderson, A.-L., Puka-Sundvall, M., Bahr, B.A., McRae, A., Saido, T.C., Kawashima, S., Hagberg, H. (1999). Calpastatin is up-regulated in response to hypoxia and is a suicide substrate to calpain after neonatal cerebral hypoxia-ischemia. *J. Biol. Chem.*, 274, 14046-14052.
104. Koike, H., Seki, H., Kouchi, Z., Ito, M., Kinouchi, T., Sorimachi, H., Saido, T.C., Maruyama, K., Suzuki, K., Ishiura, S. (1999). Thimet oligopeptidase cleaves the full-length Alzheimer amyloid precursor protein at beta-secretase cleavage site in COS cells. *J. Biochem.*, 126, 235-242.
105. Koriyama, H., Kouchi, Z., Umeda, T., Saido, T.C., Ishiura, S., Suzuki, K. (1999). Proteolytic activation of protein kinase C δ and ϵ by caspase-3 in U937 cells during chemotherapeutic agent-induced apoptosis. *Cellular Signalling*, 11, 831-838.
106. Koike, H., Tomioka, S., Sorimachi, H., Saido, T.C., Maruyama, K., Okuyama, A., Fujisawa-Sehara, A., Ohno, S., Suzuki, K., Ishiura, S. (1999). MDC9 has an α -secretase activity responsible for processing the amyloid precursor protein. *Biochem. J.*, 343, 371-375.
107. Fukumoto, H., Tomita, T., Matsunaga, H., Ishibashi, Y., Saido, T.C., Iwatsubo, T. (1999). Primary cultures of neuronal and non-neuronal rat brain cells secrete similar proportions of amyloid β peptides ending at A β 40 and A β 42. *NeuroReport*, 10, 2965-2969.
108. Shields, D.C., Schaecher, K.E., Saido, T.C., Banik, N. (1999). A putative mechanism of demyelination in multiple sclerosis by a proteolytic enzyme, calpain. *Proc. Natl. Acad. Sci. USA*, 96, 11486-11491.
109. Iwata, N., Tsubuki, S., Takaki, Y., Watanabe, K., Sekiguchi, M., Hosoki, E., Kawashima-Morishima, M., Lee, H.-J., Hama, E., Sekine-Aizawa, Y., Saido, T.C. (2000). Identification of the major A β 1-42-degrading catabolic pathway in brain parenchyma: Suppression leads to biochemical and pathological deposition. *Nature Med.*, 6, 143-151.
110. Shimokata, H., Yamada, Y., Nakagawa, M., Okubo, R., Saido, T.C., Funakoshi, A., Miyasaka, K., Ohota, S., Tsujimoto, G., Tanaka, M., Ando, F., Niino, N. (2000). Distribution of geriatric disease-related genotypes in the National Institute for Longevity Sciences, Longitudinal Study of Aging (NILS-LSA). *J. Epiderm.*, S46-55.
111. Russo, C., Schettini, G., Saido, T.C., Hulette, C., Lippa, C., Lannfelt, L., Ghetti, B., Gambetti, P., Tabaton, M., Teller, J.K. (2000). Preferential deposition of truncated amyloid- β peptides in brain of presenilin 1 gene mutation carriers. *Nature*, 405, 531-532.
112. Nakagawa, Y., Reed, L., Nakamura, M., McIntosh, T.K., Smith, D.H., Saatman, K.E., Raghupathi, R., Clemens, J., Saido, T.C., Lee, V.M.-Y., Trojanowski, J.Q. (2000). Brain trauma in aged transgenic mice induces regression of established A β deposit. *Exper. Neurol.*, 163, 244-252.
113. Lankiewicz, S., Luetjens, C.M., Bui, N.T., Krohn, A.J., Poppe, M., Cole, G.C., Nicholson, D.W., Saido, T.C., Prehn, H.M. (2000). Activation of calpain I converts excitotoxic neuron death into a caspase-independent cell death. *J. Biol. Chem.*, 275, 17064-17071.
114. Takeuchi, A., Irizarry, M.C., Duff, K., Saido, T.C., Hsiao, Ashe K., Hasegawa, M., Mann D.M.A., Hyman, B.T., Iwatsubo, T. (2000). Age-related A β deposition in transgenic mice overexpressing both Alzheimer mutant presenilin 1 and β amyloid precursor protein is not associated with global neuronal loss. *Am. J. Pathol.*, 157, 331-339.
115. Hiwasa, T., Arase, Y., Kikuno, K., Hasegawa, R., Sugaya, S., Kita, K., Saido, T., Yamamori, H., Maki, M., Suzuki, N. (2000). Increase in ultraviolet sensitivity by overexpression of calpastatin in ultraviolet-resistant UVr-1 cells derived from ultraviolet-sensitive human RSa cells. *Cell death and Differentiation*, 7, 531-537.
116. Iwata, N., Tsubuki, S., Hama, E., Takaki, Y., Shirotani, K., Saido, T.C. (2000). Clearance of amyloid β -peptide from brain: transport or metabolism? *Nature Med.*, 6, 718-719.
117. Harigaya, Y., Saido, T.C., Eckman, C.B., Prada, C.-M., Shoji, M., Younkin, S. (2000). Amyloid beta protein starting pyroglutamate at position 3 is a major component of the amyloid deposits in the Alzheimer's disease brain. *Biochem. Biophys. Res. Commun.*, 276, 422-427.
118. Saido, T. C. (2000). Degradation of amyloid- β peptide: a key to Alzheimer pathogenesis, prevention, and therapy. *NeuroSci. News*, 5(3) 52-62.
119. Lee, H.-J., Tomioka, M., Takaki, Y., Masumoto, H., Saido, T.C. (2000). Molecular cloning and expression of aminopeptidase A isoforms from rat hippocampus. *Biochim. Biophys. Acta*, 1493, 273-278.
120. Takaki, Y., Iwata, N., Tsubuki, S., Taniguchi, S., Toyoshima, S., Lu, B., Gerard, N.P., Gerard, C., Lee, H.-J., Shirotani, K., Saido, T.C. (2000). Biochemical Identification of the neutral endopeptidase family member responsible for the catabolism of amyloid β peptide in brain. *J. Biochem.*, 128, 897-902.
121. Kawarabayashi, T., Younkin, L.H., Saido, T.C., Shoji, M., K. Hsiao, A., Younkin, S.G. (2001). Age-dependent changes in brain, cerebrospinal fluid, and plasma amyloid β protein in the Tg2576 transgenic mouse model of Alzheimer's disease. *J. Neurosci.*, 21, 372-381.

122. Koike, H., Kouchi, Z., Kinouchi, T., Maeda, T., Sorimachi, H., Saido, T.C., Maruyama, K., Okuyama, A., Suzuki, K., Ishiura, S. (2000). Metabolism of amyloid precursor protein in COS cells transfected with a beta-secretase candidate. *Cytotechnol.*, 33, 213-219.
123. Kitagaki, H., Tomioka, S., Yoshizawa, T., Sorimachi, H., Saido, T.C., Ishiura, S., Suzuki, K. (2000). Autolysis of calpain large subunit inducing irreversible dissociation of stoichiometric heterodimer of calpain. *Biosci. Biotechnol. Biochem.*, 64, 689-695.
124. Shoji, M., Kawarabayashi, T., Sato, M., Sasaki, A., Saido, T.C., Matsubara, E., Yomidokoro, Y., Kanai, M., Shizuka, M., Ishiguro, K., Ikeda, M., Harigaya, Y., Okamoto, K., Hirai, S. (2000). Age-related amyloid beta protein accumulation induces cellular death and macrophage activation in transgenic mice. *J. Pathol.*, 191, 93-101.
125. Yamaguchi, A., Yamamoto, N., Akamatsu, N., Saido, T.C., Kaneda, M., Umeda, M., Tanoue, K. (2000). PS-liposome and ox-LDL bind to different sites of the immunodominant domain (#155-183) of CD 36: a new study with GS95, a new anti-CD36 monoclonal antibody. *Thromb. Res.*, 97, 317-326.
126. Maruyama, K., Usami, M., Kametani, F., Tomita, T., Iwatsubo, T., Saido, T.C., Mori, H., Ishiura, S. (2000). Molecular interactions between presenilin and calpain: inhibition of m-calpain protease activity by presenilin-1, 2 and cleavage of presenilin-1 by m-, mu-calpain, *Int. J. Mol. Med.*, 5, 269-273.
127. Taniguchi, S., Fujita, Y., Takahashi, H., Hayashi, S., Kakita, A., Murayama, S., Saido, T.C., Hisanaga, S., Iwatsubo, T., Hasegawa, M. (2001). Degradation of p35 to p25 in postmortem human and rat brains. *FEBS Lett.*, 46-50.
128. Sekine-Aizawa, Y., Hama, E., Watanabe, K., Tsubuki, S., Kanai-Azuma, M., Kanai, Y., Arai, H., Aizawa, H., Iwata, N., Saido, T.C. (2001). Matrix metalloproteinase (MMP) system in brain: Identification and characterization of brain-specific MMP highly expressed in cerebellum. *Eur. J. Neurosci.*, 13, 935-948.
129. Bialkowska, K., Kulkarni, S., Du, X., Goll, D.E., Saido, T.C., Fox, J.E.B. (2000). Evidence that beta3 integrin-induced Rac activation involves the calpain-dependent formation of integrin clusters that are distinct from the focal complexes and focal adhesions that form as Rac and RhoA become active. *J. Cell Biol.*, 151, 685-695.
130. Shirotani, K., Tsubuki, S., Iwata, N., Takaki, Y., Harigaya, W., Maruyama, K., Kiryu-Seo, S., Kiyama, H., Iwata, H., Tomita, T., Iwatsubo, T., Saido, T.C. (2001). Neprilysin degrades both amyloid β peptides 1-40 and 1-42 most rapidly and efficiently among thiorphan- and phosphoramidon-sensitive endopeptidases. *J. Biol. Chem.*, 276, 21895-21901.
131. Choi, W.S., Lee, E.-H., Chung, C.W., Jung, Y.K., Jin, B.K., Kim, S.U., Oh, T.H., Saido, T.C., Oh, Y.-J. (2001). Cleavage of Bax is mediated by caspase-dependent or -independent calpain activation in dopaminergic neuronal cells: Protective role of Bcl-2. *J. Neurochem.*, 77, 1531-1541.
132. Iwata, N., Tsubuki, S., Takaki, Y., Shirotani, K., Lu, B., Gerard, N.P., Gerard, C., Hama, E., Lee, H.-J., Saido, T.C. (2001). Metabolic regulation of brain A β by neprilysin. *Science*, 292, 1550-1552.
133. Kaneko, T., Yamashima, T., Tohma, Y., Nomura, M., Imajoh-Ohmi, S., Saido, T.C., Nakao, M., Saya, H., Yamamoto, H., Yamashita, J. (2001). Calpain-dependent proteolysis of merlin occurs by oxidative stress in meningiomas: a novel hypothesis for tumorigenesis. *Cancer*, 92, 2662-2672.
134. Hama, E., Shirotani, K., Masumoto, H., Sekine-Aizawa, Y., Aizawa, H., Saido, T.C. (2001). Clearance of extracellular and cell-associated amyloid β peptide by viral expression of neprilysin in primary culture. *J. Biochem.*, 130, 721-726.
135. Russo, C., Schettini, G., Saido, T.C., Gambetti, P., Tabaton, M., Teller, J.T. (2001). N-Terminally truncated amyloid β peptides and Alzheimer's disease. *Neurobiol. Aging*, 22, 345.
136. Kitazume, S., Tachida, Y., Oka, R., Shirotani, K., Saido, T.C., Hashimoto, Y. (2001). Alzheimer's β -secretase, β -site amyloid precursor protein-cleaving enzyme, is responsible for cleavage secretion of a golgi-resident sialyltransferase. *Proc. Natl. Acad. Sci. USA*, 98, 13554-13559.
137. Kim, J.E., Han, B.S., Choi, W.S., Eom, D.S., Lee, E.H., Oh, T.H., Markelonis, G.J., Saido, T.C., Lee, G.E., Chung, I.K., Oh, Y.J. (2001). Temporospatial sequence of cellular events associated with etoposide-induced neuronal cell death : role of antiapoptotic protein Bcl-X_L. *J. Neurosci. Res.*, 66, 1074-1082.
138. Fukami, S., Watanabe, K., Iwata, N., Haraoka, J., Lu, B., Gerard, N.P., Gerard, C., St. George-Hyslop, P., Saido, T.C. (2002). A β -degrading endopeptidase, neprilysin, in mouse brain: Synaptic and axonal localization inversely correlating with A β pathology. *Neurosci. Res.*, 43, 39-56.
139. Shirotani, K., Tsubuki, S., Lee, H.J., Maruyama, K., Saido, T.C. (2002). Generation of amyloid β peptide with pyroglutamate at position 3 in primary cortical neurons. *Neurosci. Lett.*, 327, 25-28.
140. Fukami, S., Iwata, N., Saido, T.C. (2002). Therapeutic strategies of Alzheimer's disease through manipulation of A β metabolism: a focus on A β -degrading peptidase, neprilysin. *Drug Development Research*, 56, 171-183.

141. Takahashi, M., Fukami, S., Iwata, N., Inoue, K., Itohara, S., Itoh, H., Haraoka, J., Saido, T.C. (2002). *In vivo* glioma growth requires host-derived matrix metalloproteinase 2 for maintenance of angioarchitecture. *Pharmacol. Res.*, 46, 155-163.
142. Iwata, N., Takaki, Y., Fukami, S., Tsubuki, S., Saido, T.C. (2002). Region-specific reduction of A β -degrading endopeptidase, neprilysin, in mouse hippocampus upon aging. *J. Neurosci. Res.*, 70, 493-500.
143. Hattori, C., Asai, M., Oma, Y., Kino, Y., Sasagawa, N., Saido, T.C., Maruyama, K., Ishiura, S. (2002). BACE1 interacts with nicastrin. *Biochem. Biophys. Res. Commun.*, 293, 1228-1232.
144. Tomioka, M., Shirotani, K., Iwata, N., Lee, H.J., Yang, F., Cole, G.M., Seyama, Y. Saido, T.C. (2002). In vivo role of caspases in excitotoxic neuronal death: generation and analysis of transgenic mice expressing baculoviral caspase inhibitor, p35, in postnatal brain. *Brain Res. Mol. Brain Res.*, 108, 18-32.
145. Mori, C., Spooner, E.T., Wisniewski, K.E., Wisniewski, T.M., Yamaguchi, H., Saido, T.C., Toland, D.R., Selkoe, D.J., Lemere, C.A. (2002). Intraneuronal A β 42 accumulation in Down syndrome brain. *Amyloid*, 9, 88-102.
146. Kuwano, K., Nisimura, I., Uetsuki, T., Saido, T.C., Yoshikawa, K. (2002). Activation of calpain in cultured neurons overexpressing Alzheimer amyloid precursor protein. *Brain Res. Mol. Brain Res.*, 107, 166-175.
147. Dare, E., Tofighi, R., Vettori, M.V., Momoi, T., Poli, D., Saido, T.C., Mutti, A., Ceccatelli, S. (2002). Styrene 7,8-oxide induces caspase activation and regular DNA fragmentation in neuronal cells, *Brain Res.*, 933, 12-22.
148. Kitazume, S., Tachida, Y., Oka, R., Kotani, N., Ogawa, K., Suzuki, M., Dohmae, N., Takio, K., Saido, T.C., Hashimoto, Y. (2003). Characterization of α 2, 6-sialyltransferase cleavage by Alzheimer's β -secretase (BACE1). *J. Biol. Chem.*, 278, 14865-14871.
149. Saito, T., Takaki, Y., Iwata, N., Trojanowski, J., Saido T.C. (2003). Perspectives: Alzheimer's disease, neuropeptides, neuropeptidase, and amyloid- β peptide metabolism. *Science (SAGE-KE)*, <http://sageke.sciencemag.org/cgi/content/full/sageke;2003/3/pe1>. □□ 2003(3) : PE1].
150. Kitazume, S., Saido T.C., Hashimoto, Y. (2003). Alzheimer's β -secretase cleaves a glycosyltransferase as a physiological substrate. *Glycoconjugate J.*, 278, 14865-14871.
151. Tsubuki, S., Takaki, Y., Saido, T.C. (2003). Dutch, Flemish, Italian, and Arctic mutations of APP and resistance of A β to physiologically relevant proteolytic degradation. *Lancet*, 361, 1957-1958.
152. Zhang, J., Miyamoto, K., Hashioka, S., Hao, H. P., Murao, K., Saido, T.C., Nakanishi, H. (2003). Activation of μ -calpain in developing cortical neurons following methylmercury treatment. *Develop. Brain Res.*, 142, 105-110.
153. Porn-Ares, I., Saido, T.C., Tommy, A., Ares, M. P.S. (2003). Oxidized low-density lipoprotein induces calpain-dependent cell death and ubiquitination of caspase 3 in HMEC-1 endothelial cells. *Biochem. J.*, 374, 403-411.
154. Yokota, M., Saido, T.C., Kamitani, H., Tabuchi, S., Satokata, I., Watanabe, T. (2003). Calpain induces proteolysis of neuronal cytoskeleton in ischemic gerbil forebrain. *Brain Res.*, 984, 122-132.
155. Rami, A., Volkman, T., Agarwal, R., Schoninger, S., Nuernberger, F., Saido, T.C., Winckler, J. (2003). β 2-adrenergic receptor responsiveness of the calpain-calpastatin system and attenuation of neuronal death in rat hippocampus after transient global ischemia. *Neurosci. Res.*, 47, 373-382.
156. Wang, D.-S., Iwata, N., Hama, E., Saido, T.C., Dickson, D.W. (2003). Oxidized neprilysin in aging and Alzheimer's disease brains. *Biochem. Biophys. Res. Commun.*, 310, 236-241.
157. Yamashima, T., Tonchev, A.B., Tsukada, T., Saido, T.C., Imajoh-Ohmi, S., Momoi, T., Kominami, E. (2003). Sustained calpain activation associated with lysosomal rupture executes necrosis of the postischemic CA1 neurons in primates. *Hippocampus*, 13, 791-800.
158. Inoue, H., Tsukita, K., Iwasato, T., Suzuki, Y., Tomioka, M., Tateno, M., Nagao, M., Kawata, A., Saido, T.C., Miura, M., Misawa, H., Itohara, S., Takahashi, R. (2003). The crucial role of caspase-9 in the disease progression of transgenic ALS mouse model. *EMBO J.*, 22, 6665-6674.
159. Wakutani, Y., Watanabe, K., Adachi, Y., Wada-Isoe, K., Urakami, K., Ninomiya, H., Saido, T.C., Hashimoto, T., Iwatsubo, T., Nakashima, K. (2004). Novel amyloid precursor protein missense mutation in probable Alzheimer's disease. *J. Neurol. Neurosurg. Psych.*, 75, 1039-1042.
160. Iwata, N., Mizukami, H., Shirotani, K., Takaki, Y., Muramatsu, S., Gerard, N., Gerard, C., Ozawa, K., Saido, T.C. (2004). Presynaptic localization of neprilysin contributes to efficient clearance of amyloid β peptide in mouse brain. *J. Neurosci.*, 24, 991-998.
161. Kimura, T., Shuto, D., Kasai, S., Liu, P., Hidaka, K., Hamada, T., Hayashi, Y., Hattori, C., Asai, M., Kitazume, S., Saido, T.C., Ishiura, S., Kiso, Y. (2004). KMI-358 and KMI-370, highly potent and small-sized BACE1 inhibitors containing phenylmorstatine. *Bioorganic & Medicinal Chem. Lett.*, 14, 1527-1531.

162. Kitazume, S., Saido, T.C., Hashimoto, Y. (2004). Alzheimer's β -secretase cleaves a glycosyltransferase as a physiological substrate. *Glycoconjugate J.*, 20, 59-62.
163. Hama, E., Shirohara, K., Iwata, N., Saido, T.C. (2004). Effects of neprilysin chimeric proteins targeted to subcellular compartments on amyloid β peptide clearance in primary neurons. *J. Biol. Chem.*, 279, 30259-30264.
164. Sato, K., Higuchi, M., Iwata, N., Saido, T.C., Sasamoto, K. (2004). Fluoro-substituted and ^{13}C -labeled styrylbenzene derivatives for detecting brain amyloid plaques. *Eur. J. Medicinal Chem.*, 39, 573-578.
165. Ladrech, S., Guitton, M., Saido, T.C., Lenoir, M. (2004). Calpain activity in the Amikacin-damaged rat cochlea. *J. Comp. Neurol.*, 477, 149-160.
166. Funamoto, S., Morishima-Kawashima, M., Tanimura, Y., Hirohara, N., Saido, T.C., Ihara, Y. (2004). Truncated carboxyl-terminal fragments of β -amyloid precursor protein are processed to amyloid β -proteins 40 and 42. *Biochemistry*, 43, 13532-13540.
167. Bialkowska, K., Saido, T.C., Fox, J.E.B. (2004). SH3 domain of spectrin participates in the activation of Rac in specialized calpain-induced integrin signaling complexes. *J. Cell Science*, 118, 381-395.
168. Shin, R.W., Saido, T.C., Maeda, M., Kitamoto, T. (2005). Novel α -secretase cleavage of Alzheimer's amyloid β precursor protein in the endoplasmic reticulum of COS7 cells. *Neurosci. Lett.*, 376, 14-19.
169. Saito, T., Iwata, N., Tsubuki, S., Takaki, Y., Takano, J., Huang, S.-H., Suemoto, T., Higuchi, M., Saido, T.C. (2005). Somatostatin regulates brain amyloid β peptide, $\text{A}\beta_{42}$, through modulation of proteolytic degradation. *Nature Med.*, 11, 434-439.
170. Qi-Takahara, Y., Morishima-Kawashima, M., Tanimura, Y., Dolios, G., Hirohara, N., Horikoshi, Y., Kametani, F., Maeda, M., Saido, T.C., Wang, R., Ihara, Y. (2005). Longer forms of amyloid β protein: Implications for the mechanism of intramembrane cleavage by γ -secretase. *J. Neurosci.*, 25, 436-445.
171. Takano, J., Tomioka, M., Tsubuki, S., Higuchi, M., Iwata, N., Itohara, S., Maki, M., Saido, T.C. (2005). Calpain mediates excitotoxic DNA fragmentation via mitochondrial pathways: evidence from calpastatin-mutant mice. *J. Biol. Chem.*, 280, 16175-16184.
172. Higuchi, M., Tomioka, M., Takano, J., Shirohara, K., Iwata, N., Masumoto, H., Maki, M., Itohara, S., Saido, T.C. (2005). Distinct mechanistic roles of calpain and caspase activation in neurodegeneration as revealed in mice over-expressing their specific inhibitors. *J. Biol. Chem.*, 280, 15229-15237.
173. Higuchi, M., Iwata, N., Matsuba, Y., Sato, K., Sasamoto, K., Saido, T.C. (2005). ^{19}F - and ^1H -MRI detection of amyloid- β peptide *in vivo*. *Nature Neurosci.*, 8, 527-533.
174. Kokubo, H., Saido, T.C., Iwata, N., Helms, J.B., Shinohara, R., Yamaguchi, H. (2005). Part of membrane-bound $\text{A}\beta$ exists in rafts within senile plaques in Tg2576 mouse brain. *Neurobiol. Aging*, 26, 409-418.
175. Kambe, A., Yokota, M., Saido, T.C., Sakokata, I., Fujikawa, H., Tabushi, S., Kamitani, H., Watanabe, T. (2005). Spatial resolution of calpain-catalyzed proteolysis in focal cerebral ischemia. *Brain Res.*, 1040, 36-43.
176. Hayashi, M., Koshihara, Y., Ishibashi, H., Yamamoto, S., Tsubuki, S., Saido, T.C., Kawashima, S., Inomata, M. (2005). Involvement of calpain in osteoclastic bone resorption. *J. Biochem.*, 137, 331-338.
177. Sato, T., Tanimura, Y., Hirohara, N., Saido, T.C., Morishima-Kawashima, M., Ihara, Y. (2005). Blocking the cleavage at midportion between γ - and ϵ - sites remarkably suppresses the generation of amyloid β -protein. *FEBS Lett.*, 579, 2907-2912.
178. Kokubo, H., Kaye, R., Glabe, C.G., Saido, T.C., Iwata, N., Helms, J.B., Yamaguchi, H. (2005). Oligomeric proteins ultrastructurally localize to cell processes, especially to axon terminals with higher density, but not to lipid rafts in Tg2576 mouse brain. *Brain Res.*, 1045, 224-228.
179. Hama, E., Saido, T.C. (2005). Etiology of sporadic Alzheimer's disease: somatostatin, neprilysin, and amyloid β peptide. *Med. Hypotheses*, 65, 498-500.
180. Maruyama, M., Higuchi, M., Takaki, Y., Matsuba, Y., Tanji, H., Nemoto, M., Tomita, N., Matsui, T., Iwata, N., Mizukami, H., Muramatsu, S., Ozawa, K., Saido, T.C., Arai, H., Sasaki, H. (2005). Cerebrospinal fluid neprilysin is reduced in prodromal Alzheimer's disease. *Ann. Neurol.*, 57, 832-842.
181. Higuchi, M., Iwata, N., Saido, T.C. (2005). Understanding molecular mechanisms of proteolysis in Alzheimer's disease: progress toward therapeutic interventions. *Biochim. Biophys. Acta.*, 1751, 60-67.
182. Piccini, A., Russo, C., Gliozzi, A., Relini, A., Vitali, A., Borghi, R., Giliberto, L., Armirotti, A., D'Arrigo, C., Bachi, A., Cattaneo, A., Canale, C., Torrasa, S., Saido, T.C., Markesbery, W., Gambetti, P., Tabaton, M. (2005). β -Amyloid is different in normal aging and in Alzheimer disease. *J. Biol. Chem.*, 280, 34186-34192.
183. Iwata, N., Higuchi, M., Saido, T.C. (2005). Metabolism of amyloid- β peptide and Alzheimer's disease. *Pharmacol. Ther.*, 108, 129-148.
184. Yoshida, T., Ohno-Matsui, K., Ichinose, S., Sato, T., Iwata, N., Saido, T.C., Hisatomi, T., Mochizuki, M., Morita, I. (2005). The potential role of amyloid β in the pathogenesis of age-related macular

- degeneration. *J. Clin. Invest.*, 115, 2793-2800.
185. Ogawa, T. Kiryu-Seo, S., Tanaka, M., Iwata, N., Saido, T.C., Watanabe, Y., Kiyama, H. (2005). Altered expression of neprilysin family members in the pituitary gland of sleep-disturbed rats, an animal model of severe fatigue. *J. Neurochem.*, 95, 1156-1166.
 186. Thal, D.R., Capetillo-Zarate, E., Schultz, C., Rub, U., Saido, T.C., Yamaguchi, H., Haass, C., Griffin, W.S., Del Tredici, K., Braak, H., Ghebremedhin, E. (2005). Apolipoprotein E co-localizes with newly formed amyloid β -protein ($A\beta$) deposits lacking immunoreactivity against N-terminal epitopes of $A\beta$ in a genotype-dependent manner. *Acta Neuropathol. (Berl)*, 110, 459-471.
 187. Mouri, A., Zou, L.B., Iwata, N., Saido, T.C., Wang, D., Wang, M.W., Noda, Y., Nabeshima, T. (2006). Inhibition of neprilysin by thiorphan (i.c.v.) cause an accumulation of amyloid β and impairment of learning and memory. *Behav. Brain Res.*, 168, 83-91.
 188. Zou, L.B., Mouri, A., Iwata, N., Saido, T.C., Wang, D., Wang, M.W., Mizoguchi, H., Noda, Y., Nabeshima, T. (2006). Inhibition of neprilysin by infusion of thiorphan into the hippocampus cause an accumulation of amyloid β and impairment of learning and memory. *J. Pharmacol. Exp. Ther.*, 314, 334-340.
 189. Asai, M., Hattori, C., Iwata, N., Saido, T.C., Sasagawa, N., Szabo, B., Hashimoto, Y., Maruyama, K., Tanuma, S., Kiso, Y., Isihura, S. (2006). The novel β -secretase inhibitor KMI-429 reduces amyloid β peptide production in amyloid precursor protein transgenic and wild-type mice. *J. Neurochem.*, 96, 533-540.
 190. Nakagawa, K., Kitazume, S., Oka, R., Maruyama, K., Saido, T.C., Sato, Y., Endo, T., Hashimoto, Y. (2006). Sialylation enhances the secretion of neurotoxic amyloid- β peptides. *J. Neurochem.*, 99, 924-923.
 191. Harigaya, Y., Tomidokoro, Y., Ikeda, M., Sasaki, A., Kawarabayashi, T., Matsubara, E., Kanai, M., Saido, T.C., Younkin, S.G., Shoji, M. (2006) Type-specific evolution of amyloid plaque and angiopathy in APPsw mice. *Neurosci. Lett.*, 395, 37-41.
 192. Saido, T.C., Iwata, N. (2006). Metabolism of amyloid β peptide and pathogenesis of Alzheimer's disease towards presymptomatic diagnosis, prevention and therapy. *Neurosci. Res.*, 54, 235-253.
 193. Fujiwara, H., Iwasaki, K., Seki, T., He, M., Maruyama, M., Tomita, N., Kudo, Y., Higuchi, M., Saido, T.C., Maeda, S., Takashima, A., Hara, M., Ohizumi, Y., Arai, H. (2006). Uncaria rhynchophylla, a Chinese medical herb, has potent antiaggregation effects on Alzheimer's β -amyloid proteins. *J. Neurosci. Res.*, 84, 427-433.
 194. Huang, S.M., Mouri, A., Kokubo, H., Nakajima, R., Suemoto, T., Higuchi, M., Staufenbiel, M., Noda, Y., Yamaguchi, H., Nabeshima, T., Saido, T.C., Iwata, N. (2006). Neprilysin-sensitive synapse-associated amyloid β peptide oligomers impair neuronal plasticity and cognitive function. *J. Biol. Chem.*, 281, 17941-17951.
 195. Sumura, E., Kawarabayashi, T., Sasaki, A., Matsubara, E., Murakami, T., Wuhua, X., Tamura, S., Ikeda, M., Ishiguro, K., Saido, T.C., Westaway, D., St. Hyslop, G., Harigaya, Y., Abe, K. (2006). Enhanced accumulation of tau in doubly transgenic mice expressing mutant β APP and presenilin-1. *Brain Res.*, 1094, 192-199.
 196. Sato, T., Nyborg, A.C., Iwata, N., Dieh T.S., Saido, T.C., Dolde T. E., Wolfe, M.S. (2006). Signal peptide peptidase: biochemical properties and modulation by nonsteroidal anti-inflammatory drugs. *Biochemistry*, 45, 8649-8656.
 197. Araya, R., Noguchi, T., Yuhki, M., Kitamura, N., Higuchi, M., Saido, T.C., Seki, K., Itohara, S., Kawano, M., Tanemura, K., Takashima, A., Yamada, K., Kondoh, Y., Kanno, I., Wess, J., Yamada, M. (2006). Loss of M (5) muscarinic acetylcholine receptors leads to cerebrovascular and neuronal abnormalities and cognitive deficits in mice. *Neurobiol. Dis.*, 24, 334-344.
 198. Cynis, H., Schilling, S., Bodnar, M., Hoffmann, T., Heiser, U., Saido, T.C., Demuth, H.U. (2006). Inhibition of glutaminyl cyclase alters pyroglutamate formation in mammalian cells. *Biochim. Biophys. Acta*, 1764, 1618-1625.
 199. Higuchi, M., Saido, T.C., Suhara, T. (2006). Animal models of tauopathies. *Neuropathology*. 26, 491-497.
 200. Wirths, O., Weis, J., Kayed, R., Saido, T.C., Bayer, T.A. (2007). Age-dependent axonal degeneration in an Alzheimer mouse model. *Neurobiol. Aging*, 28, 1689-1699.
 201. Kamei, H., Saito, T., Ozawa, M., Fujita, Y., Asada, A., Bibb, J.A., Saido, T.C., Sorimachi, H., Hisanaga, S.I. (2007). Suppression of calpain-dependent cleavage of the Cdk5 activator p35 to p25 by site-specific phosphorylation. *J. Biol. Chem.*, 282, 1687-1694.
 202. Hori, Y., Hashimoto, T., Wakutani, Y., Urakami, K., Nakashima, K., Condrón, M.M., Tsubuki, S., Saido, T.C., Teplow, D.B., Iwatsubo, T. (2007). The Tottori (D7N) and English (H6R) familial Alzheimer's disease mutations accelerate $A\beta$ fibril formation without increasing protofibril formation. *J. Biol. Chem.*, 282, 4916-4923.

203. Asai, M., Iwata, N., Yoshikawa, A., Aizaki, Y., Ishiura, S., Saido, T.C., Maruyama, K. (2007). Berberine alters the processing of Alzheimer's amyloid precursor protein to decrease A β secretion. *Biochem. Biophys. Res. Commun.*, 352, 498-502.
204. Yoshiyama, Y., Higuchi, M., Zhang, B., Huang, S.M., Iwata, N., Saido, T.C., Maeda, J., Suhara, T., Trojanowski, J.Q., Lee, V.M. (2007). Synapse loss and microglial activation precede tangles in a P301S tauopathy mouse model. *Neuron*, 53, 337-351.
205. Wang, J., Pignol, B., Chabrier, P.E., Saido, T.C., Lloyd, R., Tang, Y., Lenoir, M., Puel, J.L. (2007). A novel dual inhibitor of calpains and lipid peroxidation (BN8220) rescues the cochlea from sound trauma. *Neuropharmacology*, 52, 1426-1437.
206. Maeda, J., Ji, B., Irie, T., Tomiyama, T., Maruyama, M., Okauchi, T., Staufenbiel, M., Iwata, N., Ono, M., Saido, T.C., Suzuki, K., Mori, H., Higuchi, M., Suhara, T. (2007). Longitudinal, quantitative assessment of amyloid, neuroinflammation, and anti-amyloid treatment in a living mouse model of Alzheimer's disease enabled by positron emission tomography. *J. Neurosci.*, 27, 10957-10968.
207. Tachida, Y., Nakagawa, K., Saito, T., Saido, T.C., Honda, T., Saito, Y., Murayama, S., Endo, T., Sakaguchi, G., Kato, A., Kitazume, S., Hashimoto, Y. (2008). Interleukin-1 β upregulates TACE to enhance α -cleavage of APP in neurons: Resulting decrease in A β production. *J. Neurochem.*, 47, 1387-1393.
208. Hirata-Fukae, C., Li, H-F., Hoe, H.S., Gray, A.J., Minami, S.S., Hamada, K., Niikura, T., Hua, F., Tsukagoshi-Nagai, H., Horikoshi-Sakuraba, Y., Mughal, M., Rebeck, G.W., LaFerla, F.M., Mattson, M.P., Iwata, N., Saido, T.C., Klein, W.K., Duff, K.E., Aisen, P.S. & Matsuoka, Y. (2008). Females exhibit more extensive amyloid, but not tau, pathology in an Alzheimer transgenic model. *Brain Res.*, 1216, 92-103.
209. Vetrivel, K.S., Zhang, X., Meckler, X., Cheng, H., Lee, S., Gong, P., Lopes, K.O., Chen, Y., Iwata, N., Yin, K.-J., Lee, J.-M., Parent, A.T., Saido, T.C., Li, Y.-M., Sisodia, S.S. & Thinakaran, G. (2008). Evidence that CD147 modulation of A β levels is mediated by extracellular degradation of secreted A β . *J. Biol. Chem.*, 283, 19489-19498.
210. Wang, J., Ohno-Matsui, K., Yoshida, T., Kojima, A., Shimada, N., Nakahama, K., Safranov, O., Iwata, N., Saido, T.C., Mochizuki, M. & Morita, I. (2008). Altered function of factor I caused by amyloid β : Implication for pathogenesis of age-related macular degeneration from drusen. *J. Immunol.*, 181, 712-720.
211. Cynis, H., Scheel, E., Saido, T.C., Schilling, S., Demuth, H.U. (2008). Amyloidogenic processing of amyloid precursor protein: evidence of a pivotal role of glutamyl cyclase in generation of pyroglutamate-modified amyloid- β . *Biochemistry*, 47, 7405-7413.
212. Nakajima, R., Takao, K., Huang, S.-M., Takano, J., Iwata, N., Miyakawa, T., Saido, T.C. (2008). Comprehensive behavioral phenotyping of calpastatin-knockout mice. *BMC Mol. Brain*, 1(7), 1-15.
213. Nakazawa, T., Shimura, M., Mourin, R., Kondo, M., Yokokura, S., Saido, T.C., Nishida, L., Endo, S. (2009). Calpain-mediated degradation of G-substrate plays a critical role in retinal excitotoxicity for amacrine cells. *J. Neurosci. Res.*, 87, 1412-1423.
214. Suzuki, T., Miyamoto, H., Nakahara, T., Inoue, I., Suemoto, T., Jiang, B., Hirota, Y., Itohara, S., Saido, T.C., Tsumoto, T., Sawamoto, K., Hensh, T.K., Delgado-Escueta, A.V., Yamakawa, K. (2009). Efhc1 deficiency causes spontaneous myoclonus and increase seizure susceptibility. *Hum. Mol. Genet.*, 18, 1099-1109.
215. Adachi, A., Kano, F., Saido, T.C., Murata, M. (2009) Visual screening and analysis for kinase-regulated membrane trafficking pathways that are involved in extensive β -amyloid secretion. *Genes Cells*, 14, 355-369.
216. Gonçalves, I., Nitulescu, M., Saido, T.C., Dias, N., Pedro, L.M., E. Fernandes, J.F., Ares, M.P., Pörn-Ares, I. (2009). Activation of calpain-1 in human carotid artery atherosclerotic lesions. *BMC Cardiovasc. Disord.*, 18, 9:26.
217. Fujiwara, H., Tabuchi, M., Yamaguchi, T., Iwasaki, K., Furukawa, K., Sekiguchi, K., Ikarashi, Y., Kudo, Y., Higuchi, M., Saido, T.C., Maeda, S., Takashima, A., Hara, M., Yaegashi, N., Kase, Y., Arai, H. (2009). A traditional medicinal herb *Paeonia suffruticosa* and its active constituent 1,2,3,4,6-penta-O-galloyl- β -D-glucopyranose have potent anti-aggregation effects on Alzheimer's amyloid β proteins in vitro and in vivo. *J. Neurochem.*, 109, 1648-1657.
218. Nishida, Y., Ito, S., Ohtsuki, S., Yamamoto, N., Takahashi, T., Iwata, N., Jishage, K.I., Yamada, H., Sasaguri, H., Yokota, S., Piao, W., Tomimitsu, H., Saido, T.C., Yanagisawa, K., Terasaki, T., Mizusawa, H., Yokota, T. (2009). Depletion of vitamin E increases A β accumulation by decreasing its clearances from brain and blood in a mouse model of Alzheimer disease. *J. Biol. Chem.*, 284, 33400-33408.
219. Choi, Y.S., Lee, B., Cho, H.Y., Reyes, I.B., Pu, X.A., Saido, T.C., Hoyt, K.R., Obrietan, K. (2009). CREB is a key regulator of striatal vulnerability in chemical and genetic models of Huntington's disease. *Neurobiol. Dis.*, 36, 259-268.

220. Nilsson, P., Iwata, N., Muramatsu, S-I., Tjernberg, L.O., Winblad, B., Saido T.C. (2010). Gene therapy in Alzheimer's disease -potential for disease modification. *J. Cell Mol. Med.* 14, 714-757.
221. Thal, D.R., Papassotiropoulos, A., Saido T.C., Griffin, W.S., Mrak, R.E., Kölsch, H., Tredici, K.D., Attems, J., Ghebremedhin, E. (2010). Capillary cerebral amyloid angiopathy identifies a distinct APOE epsilon4-associated subtype of sporadic Alzheimer's disease. *Acta Neuropathol.* 120, 169-183.
222. Asai, M., Iwata, N., Tomita, T., Iwatsubo, T., Ishiura, S., Saido, T.C., Maruyama, K. (2010). Efficient four-drug cocktail therapy targeting amyloid- β peptide for Alzheimer's disease. *J. Neurosci. Res.*, 88, 3588–3597.
223. Attems, J., Yamaguchi, H., Saido T.C., Thal, D.R. (2010). Capillary CAA and perivascular A β -deposition: two distinct features of Alzheimer's disease pathology. *J. Neurol. Sci.* 299, 155-162.
224. Zhang, G., Thomas, A.L., Marshall, A.L., Kernan, K.A., Su, Y., Zheng, Y., Takano, J., Saido, T.C., Eddy, A.A. (2011) Nicotinic acetylcholine receptor $\alpha 1$ promotes calpain-1 activation and macrophage inflammation in hypercholesterolemic nephropathy. *Lab. Invest.*, 91, 106-123.
225. Kitazume, S., Tachida, Y., Kato, M., Yamaguchi, Y., Honda, T., Hashimoto, Y., Wada, Y., Saito, T., Iwata, N., Saido, T., Taniguchi, N. (2010). Brain endothelial cells produce amyloid β from amyloid precursor protein 770 and preferentially secrete the O-glycosylated form. *J. Biol. Chem.*, 285, 40097-40103.
226. Gomes, J.R., Lobo, A.C., Melo, C.V., Inácio, A.R., Takano, J., Iwata, N., Saido, T.C., de Almeida, L.P., Wieloch, T., Duarte, C.B. (2011) Cleavage of the vesicular GABA transporter under excitotoxic conditions is followed by accumulation of the truncated transporter in tonsynaptic Sites. *J. Neurosci.* 31, 4622-4635.
227. Maeda, J., Zhang, M.R., Okauchi, T., Ji, B., Ono, M., Hattori, S., Kumata, K., Iwata, N., Saido, T.C., Trojanowski, J.Q., Lee, V.M., Staufenbiel, M., Tomiyama, T., Mori, H., Fukumura, T., Suhara, T., Higuchi, M. (2011) In vivo positron emission tomographic imaging of glial responses to amyloid- β and tau pathologies in mouse models of Alzheimer's disease and related disorders. *J. Neurosci.*, 31, 4720-4730.
228. Sato, K., Minegishi, S., Takano, J., Plattner, F., Saito, T., Asada, A., Kawahara, H., Iwata, N., Saido, T.C., Hisanaga, S-I. (2011) Calpastatin, an endogenous calpain-inhibitor protein, regulates the cleavage of the Cdk5 activator p35 to p25. *J. Neurochem.*, 117, 505-515.
229. Saito, T., Suemoto, T., Brouwers, N., Slegers, K., Funamoto, S., Mihira, M., Matsuba, Y., Yamada, K., Nilsson, P., Takano, J., Nishimura, M., Iwata, N., Van Broeckhoven, C., Ihara, Y., Saido, T.C. (2011) Potent amyloidogenicity and pathogenicity of A β 43. *Nat. Neurosci.*, 14, 1023-1032.
230. Takano, J., Mihira, N., Fujioka, R., Hosoki, E., Chishti, A.H., Saido, T.C. (2011) Vital role of the calpain-calpastatin system for placental integrity-dependent embryonic survival. *Mol. Cell Biol.*, 31, 4097-4106.
231. Asai, M., Yagishita, S., Iwata, N., Saido, T.C., Ishiura, S., Maruyama, K. (2011) An alternative metabolic pathway of amyloid precursor protein C-terminal fragments via cathepsin B in a human neuroglioma model. *FASEB J.*, 25, 3720-3730.
232. Yahata, N., Asai, M., Kitaoka, S., Takahashi, K., Asaka, I., Hioki, H., Kaneko, T., Maruyama, K., Saido, T.C., Nakahata, T., Asada, T., Yamanaka, S., Iwata, N., Inoue, H. (2011) Anti-A β drug screening platform using human iPS cell-derived neurons for the treatment of Alzheimer's disease. *PLoS One.*, 6, e25788.
233. Ryu, M., Yasuda, M., Shi, D., Shanab, A.Y., Watanabe, R., Himori, N., Omodaka, K., Yokoyama, Y., Takano, J., Saido, T., Nakazawa T. (2012) Critical role of calpain in axonal damage-induced retinal ganglion cell death. *J. Neurosci. Res.*, 90, 802–815.
234. Higuchi, M., Iwata, N., Matsuba, Y., Takano, J., Suemoto, T., Maeda, J., Ji, B., Ono, M., Staufenbiel, M., Suhara, T., Saido, T.C. (2012) Mechanistic involvement of the calpain-calpastatin system in Alzheimer neuropathology. *FASEB J.*, 23, 1204–1217.
235. Abramowski, D., Rabe, S., Upadhaya, A.R., Reichwald, J., Danner, S., Staab, D., Capetillo-Zarate, E., Yamaguchi, H., Saido, T.C., Wiederhold, K.H., Thal, D.R., Staufenbiel, M. (2012) Transgenic expression of intraneuronal A β 42 but not A β 40 leads to cellular A β lesions, degeneration, and functional impairment without typical Alzheimer's disease pathology. *J. Neurosci.*, 32, 1273-1283.
236. Schlenzig, D., Rönicke, R., Cynis, H., Ludwig, H.H., Scheel, E., Reymann, K., Saido, T., Hause, G., Schilling, S., Demuth, H.U. (2012) N-terminal Pyroglutamate (pGlu) formation of A β 38 and A β 40 Enforces Oligomer Formation and Potency to Disrupt Hippocampal LTP. *J. Neurochem.*, 121, 774–784.
237. Schoch, K.M., Evans, H.N., Brelsfoard, J.M., Madathil, S.K., Takano, J., Saido, T.C., Saatman, K.E. (2012) Calpastatin overexpression limits calpain-mediated proteolysis and behavioral deficits following traumatic brain injury. *Exp. Neurol.*, in press.

238. Kakiya, N., Saito, T., Nilsson, P., Matsuba, Y., Tsubuki, S., Takei, N., Nawa, H., Saido T.C. (2012) Cell-surface expression of the major A β degrading enzyme, neprilysin, depends on phosphorylation by MEK and dephosphorylation by protein phosphatase 1a. *J. Biol. Chem.*, 287, 29362–29372.
239. Yamashita, T., Hideyama, T., Hachiga, K., Teramoto, S., Takano, J., Iwata, N., Saido, T.C., Kwak, S. (2013) A role for calpain-dependent cleavage of TDP-43 in amyotrophic lateral sclerosis pathology. *Nat Commun.*, 3:1307. doi:10.1038/ncomms2303.
240. Hübener, J., Weber, J.J., Richter, C., Honold, L., Weiss, A., Murad, F., Breuer, P., Wüllner, U., Bellstedt, P., Paquet-Durand, F., Takano, J., Saido, T.C., Riess, O., Nguyen, H.P. (2013) Calpain-mediated ataxin-3 cleavage in the molecular pathogenesis of spinocerebellar ataxia type 3 (SCA3). *Hum. Mol. Genet.*, 22, 508-18.
241. Iwata, N., Sekiguchi, M., Hattori, Y., Takahashi, A., Asai, M., Ji, B., Higuchi, M., Staufenbiel, M., Muramatsu, S., Saido T.C. (2013) Global brain delivery of neprilysin gene by intravascular administration of AAV vector in mice. *Sci. Rep.*, 3:1472. doi: 10.1038/srep01472.
242. Sörgjerd, K.M., Zako, T., Sakono, M., Stirling, P.C., Leroux, M.R., Saito, T., Nilsson, P., Sekimoto, M., Saido, T.C., Maeda, M. (2013) Human prefoldin inhibits amyloid- β (A β) fibrillation and contributes to formation of nontoxic A β aggregates. *Biochemistry*, 52, 3532-3542.
243. Frost, J.L., Le, K.X., Cynis, H., Ekpo, E., Kleinschmidt, M., Palmour, R.M., Ervin, F.R., Snigdha, S., Cotman, C.W., Saido, T.C., Vassar, R.J., St George-Hyslop, P., Ikezu, T., Schilling, S., Demuth, H.U., Lemere, C.A. (2013) Pyroglutamate-3 amyloid- β deposition in the brains of humans, non-human primates, canines, and Alzheimer disease-like transgenic mouse models. *Am. J. Pathol.*, 183, 369-381. doi: 10.1016/j.ajpath.2013.05.005.
244. Huang, Z., Rose, A.H., Hoffmann, F.W., Hashimoto, A.S., Bertino, P., Denk, T., Takano, J., Iwata, N., Saido, T.C., Hoffmann, P.R. (2013) Calpastatin Prevents NF- κ B-Mediated Hyperactivation of Macrophages and Attenuates Colitis. *J. Immunol.*, 191, 3778-3788. doi: 10.4049/jimmunol.1300972.
245. Maruyama, M., Shimada, H., Suhara, T., Shinotoh, H., Ji, B., Maeda, J., Zhang, M.R., Trojanowski, J.Q., Lee, V.M., Ono, M., Masamoto, K., Takano, H., Sahara, N., Iwata, N., Okamura, N., Furumoto, S., Kudo, Y., Chang, Q., Saido, T.C., Takashima, A., Lewis, J., Jang, M.K., Aoki, I., Ito, H., Higuchi, M. (2013) Imaging of tau pathology in a tauopathy mouse model and in Alzheimer patients compared to normal controls. *Neuron*, 79, 1094-1108. doi: 10.1016/j.neuron.2013.07.037.
246. Nilsson, P., Loganathan, K., Sekiguchi, M., Matsuba, Y., Hui, K., Tsubuki, S., Tanaka, M., Iwata, N., Saito, T., Saido, T.C. (2013) A β secretion and plaque formation depend on autophagy. *Cell Reports*, 5(19), 61-69, doi: 10.1016/j.celrep.2013.08.042.
247. Funamoto, S., Sasaki, T., Ishihara, S., Nobuhara, M., Nakano, M., Watanabe-Takahashi, M., Saito, T., Kakuda, N., Miyasaka, T., Nishikawa, K., Saido, T.C., Ihara, Y. (2013) Substrate ectodomain is critical for substrate preference and inhibition of γ -secretase. *Nat. Commun.*, 4:2529. doi:10.1038/ncomms3529.
248. Iwata, A., Nagata, K., Hatsuta, H., Takuma H., Bundo, M., Iwamoto, K., Tamaoka, A., Murayama, S., Saido, T., Tsuji, S. (2014) Altered CpG methylation in sporadic Alzheimer's disease is associated with APP and MAPT dysregulation. *Hum. Mol. Genet.*, 23, 648-656.
249. Saito, T., Matsuba, Y., Mihira, N., Takano, J., Nilsson, P., Itohara, S., Iwata, N., Saido, T.C. (2014) Single App knock-in mouse models of Alzheimer's disease. *Nat. Neurosci.*, 17, 661-663.
250. Nilsson, P., Saido, T.C. (2014) Dual roles for autophagy: Degradation and secretion of Alzheimer's disease A β peptide. *Bioessays*, 36, 570-578.
251. Nilsson, P., Saido, T.C. (2014) New mouse model of Alzheimer's. *ACS Chem Neurosci.*, in press.

II. 著書

1. 西道隆臣・豊島聡 (1989). 免疫化学的方法. *新生化学実験講座 1 タンパク質 I* (日本生化学会編), 東京化学同人 (東京), pp. 389-406.
2. Suzuki, K., Sorimachi, H., Hata, A., Ohno, S., Emori, Y., Kawasaki, H., Saido, T.C., Imajoh-Ohmi, S., Akita, Y. (1990). Calcium-dependent protease, a novel molecular species, regulation of gene expression, and activation at the cell membrane. in *Neurotoxicity of Excitatory Amino Acids* (Guidotti, A. ed.), Raven Press (New York), pp. 79-93.
3. 西道隆臣・鈴木紘一 (1991). カルパインの生体内機能. *血小板活性化の生化学* (日高弘義・山崎博男・大熊稔・青木延雄・蔵本淳編), 金芳堂 (京都市), pp. 135-152.
4. Saido, T.C., Shiramine, M., Tsukaguchi, M., Ito, H., Nagao, S., Tsuchiya, T., Suzuki, K. (1992). Autolytic activation of μ -calpain as probed by an active form-specific antibody. in *Recent Advances in Cellular and Molecular Biology, Vol. 4* (Wegmann, R.J., and Wegmann, M.A. eds.), Peeters Press (Leuven), pp. 375-380.

5. 西道隆臣 (1993). C キナーゼ. *免疫学用語辞典 第三版* (多田富雄・谷口克・奥村康・宮坂昌之編), 最新医学社, pp.480.
6. Saido, T.C., Suzuki, K. (1993). Calpain: new aspects in activation processes and physiological roles. in *Innovations in Proteases and their inhibitors* (Aviles, F.X. ed.), Walter de Gruyter (Berlin), pp. 197-214.
7. 西道隆臣 (1995). ポリクローナル抗体の生産と品質管理. *抗体の実験技術 I* (翻訳: 豊島聰監訳, Caty, D. ed.), 廣川書店, pp. 19-84.
8. 西道隆臣 (1996). カルパイン, カルパスタチン. *生化学事典 第3版* (今堀和友・山川民夫 監修), 東京化学同人, 318-319.
9. 西道隆臣・丸山敬 (1996). *アルツハイマー病の分子医学* (単行本), 中外医学社.
10. Saido, T.C., Yokota, M., Tani, E., Kawashima, S. (1997). Post-secretory catabolism of β -amyloid in brain. in *Alzheimer's Disease: Biology, Diagnosis and Therapeutics* (Iqbal, K., Winblad, B., Nishimura, T., Takeda, M., Wisniewski, H.M., eds.), John Wiley & Sons Ltd. (Chichester), pp. 337-346.
11. 西道隆臣・鈴木紘一 (1998) C キナーゼ. *タンパク質化学 4-2 巻トランスフェラーゼ* (小橋恭一編), 廣川書店, pp. 169-174.
12. Fox, J.E.B., Saido, T.C. (1999). Calpain in signal transduction. in *Calpain: Pharmacology and Toxicology of a calcium-dependent cellular protease* (Wang, K.K.W., Yuen, P.-w., eds.), Taylor & Francis. (Brisotol), pp. 103-126.
13. 西道隆臣 (1999). アルツハイマー病と蛋白質分解機構. *アルツハイマー病の新しい展開* (井原康夫編), 羊土社, pp. 104-113.
14. 関根-藍澤陽子・西道隆臣 (1999). 神経伝達物質の代謝と作用機構. *わかる脳と神経* (石浦章一編), 羊土社, pp. 48-54.
15. Saido, T.C., Iwata, N. (2000). Catabolism of amyloid- β peptide in brain parenchyma. in *Neuroscientific Basis of Dementia* (Tanaka, C., Ihara, Y., and McGeer, P.L., eds.), Birkhauser Verlag, pp. 249-256.
16. 高木淑江・西道隆臣 (2000). アミロイド蛋白質の代謝とアルツハイマー病. *タンパク質分解-分子機構と細胞機能-*, シュプリンガー・フェアラーク東京, pp.175-184
17. 藍澤 (関根) 陽子・西道隆臣 (2000). $A\beta$ 代謝の問題. *神経難病の分子機構*, シュプリンガー・フェアラーク東京, pp.172-182.
18. Lee, H.-J., Suzuki, K., Saido, T.C. (2000). Genes of Mammalian Proteinase. in *Role of Proteases in the Pathophysiology of Neurodegenerative Disease* (Banik, N.L. ed.) Plenum Press, New York, in press.
19. 丸山敬・西道隆臣 (2000). 人は何故痴呆になるのか-アルツハイマー病の謎を探る (単行本), 丸善.
20. Iwata, N., Saido, T.C. (2001). Alzheimer's disease as a proteolytic disorder: catabolism and processing of amyloid β peptide. in *Mapping the progress of Alzheimer's and Parkinson's disease* (Mizuno, Y. ed.) Kluwer Academic/Plenum Publishers, New York, in press.
21. Saido, T.C. (2003). $A\beta$ metabolism: from Alzheimer research to brain aging control. In *$A\beta$ Metabolism and Alzheimer's Disease* (Saido, T.C. ed) Landes Bioscience (Georgetown, Tex (www.eurekah.com)).
22. Saido, T.C., Nakahara, H. (2003). Proteolytic degradation of $A\beta$ by neprilysin and other peptidases. In *$A\beta$ Metabolism and Alzheimer's Disease* (Saido, T.C. ed) Landes Bioscience (Georgetown, Tex (www.eurekah.com)).
23. 津吹聡・城谷圭朗・富岡正典・西道隆臣 (2002) タンパク質の免疫学的解析, *ポストシークエンスタンパク質実験法* (東京化学同人), 151-172.
24. 高野二郎・富岡正典・西道隆臣 (2003) プロテアーゼ制御を介した神経細胞死抑制機構, *虚血性神経細胞の分子機構とその制御* (中山書店), 147-167.
25. 岩田修永・西道隆臣 (2003) アルツハイマー病とネプリライシン, *Annual Review 神経 2003* (中外医学社), 180-190.
26. 北爪しのぶ・西道隆臣・橋本康弘 (2003) 当転移酵素とプロテアーゼ (pp. 98-102). *ポストゲノム時代の糖鎖生物学がわかる* (谷口直之編集).
27. 西道隆臣 (2007) アルツハイマー病を科学する (pp.11-55). **BLUE BACKS** 脳研究の最前線 (下 脳の疾患と数理) (講談社).
28. Iwata, N., Higuchi, M., Saido, T.C. (2007). $A\beta$ -degrading enzyme, neprilysin. *Research progress in Alzheimer's disease and dementia*. Nova Science Publishers, (New York, USA).

III. 総説・その他

1. 西道隆臣・鈴木紘一 (1990). 細胞障害とカルシウム依存性中性プロテアーゼ (CANP). *蛋白質核酸酵素* 35, 1864-1870.
2. 西道隆臣 (1991). カルシウム依存性酵素活性測定法測定法. カルシウムプロテアーゼの活性測定と応用. *実験医学* 9, 177-181.

3. 川島誠一・西道隆臣 (1992). カルパインの生理的機能. *蛋白質核酸酵素* 37, 2144-2160.
4. 西道隆臣 (1992). カルパイン 情報伝達における機能. *BIOMEDICA* 7, 611-616.
5. 丸山敬・宇佐美美穂子・山尾針ヶ谷和花子・熊谷善弘・西道隆臣・斉藤裕見子・川島誠一 (1993). 培養細胞におけるアルツハイマー病アミロイド前駆体タンパク質の発現. *Dementia* 7, 250-259.
6. 斉藤裕見子・西道隆臣・川島誠一 (1993). プロテアーゼインヒビター・神経突起伸長・神経機能障害. *Dementia* 7, 143-152.
7. 丸山敬・針ヶ谷和花子・斉藤裕見子・西道隆臣・川島誠一・宇佐美美穂子 (1993). 精神疾患の分子生物学 アルツハイマー病と筋緊張性ジストロフィー. *脳と精神の医学* 4, 261-278.
8. 西道隆臣 (1993). 虚血とカルパイン. *最新医学* 48, 146-150.
9. 西道隆臣 (1993). カルパイン. *現代化学* 増刊 22, 32-43.
10. 西道隆臣・鈴木紘一 (1993). カルシウム依存性酵素活性測定法 | カルシウムプロテアーゼの活性測定と応用. *実験医学* 11, 297-300.
11. 西道隆臣 (1995). リン脂質・糖脂質の代謝異常とカルシウムプロテアーゼによる細胞障害の関連性に関する研究. *小野医学財団第6回研究成果報告集*, (財)小野医学財団, 149-155.
12. 西道隆臣 (1995). ドーパミンニューロン変性におけるカルパインの役割. *第26回成人病研究助成研究報告*, (財)三井生命厚生事業団, 1297-1302.
13. 西道隆臣 (1996). 蛋白質分解反応を捕捉する新しい方法を用いた脳虚血およびアルツハイマー病におけるプロテアーゼの作用の解析. *生化学* 68, 1507-1522.
14. 西道隆臣 (1997). β アミロイドペプチドの構造、代謝、そして、蓄積：プロテアーゼ研究の視点から. *神経研究の進歩* 41, 58-69.
15. 西道隆臣 (1997). 蛋白質の限定分解反応を捕捉する抗ペプチド抗体. *実験医学* 15, 927-931.
16. 西道隆臣・横田正幸 (1997). プロテアーゼ病としての神経変性疾患：脳虚血とアルツハイマー病. *蛋白質核酸酵素* 42, 2408-2417.
17. 横田正幸・西道隆臣 (1997). 長期増強とプロテアーゼ. *実験医学* 15, 2074-2078.
18. 西道隆臣 (1997). アルツハイマー病ベータアミロイドペプチドのアミノ末端構造の決定. *上原記念生命科学財団研究報告集*, Vol. 1□.
19. 西道隆臣 (1998). アルツハイマー病 β アミロイドの新たな標的分子：ERAB. *ファルマシア* 34, 599-600.
20. 岩田修永・西道隆臣 (1998). アルツハイマー病とプロテアーゼ. *現代医療* 30, 2797-2804.
21. 西道隆臣 (1999). 脳老化の終末像としての Alzheimer 病. *医学のあゆみ* 188, 49-52.
22. 岩田修永・津吹聡・西道隆臣 (1999). β アミロイドとプロテアーゼ. *医学のあゆみ* 189, 9-14.
23. 城谷圭朗・西道隆臣 (1999). プロテアーゼのターゲットおよび制御因子としてのプレセニリン. *実験医学* 17, 1960-1966.
24. 城谷圭朗・西道隆臣 (2000). アミロイド沈着抑制と γ -セクレターゼ阻害剤. *Pharma Medica* 18(2), 109-113.
25. 高木淑江・岩田修永・西道隆臣 (2000). $A\beta$ 産出・代謝・蓄積のメカニズム. *脳の科学* 増刊「アルツハイマー病の全て」, 111-116.
26. 岩田修永・西道隆臣 (2000). β アミロイドの脳内分解. *Dementia Japan*, 14, 80-88.
27. 津吹聡・岩田修永・西道隆臣 (2000). $A\beta$ 分解系に関する新知見. *最新医学* 55, 1601-1607.
28. 濱江美・西道隆臣 (2000). アルツハイマー病の発症を抑える酵素. *遺伝*, 54, 9-10.
29. 森島真帆・西道隆臣・井原康夫 (2001). アルツハイマー病と蛋白質. *蛋白質核酸酵素*, 46, 1789-1804.
30. 岩田修永・西道隆臣 (2001). アルツハイマー病. *最新医学* 56, 2204-2210.
31. 城谷圭朗・西道隆臣 (2001). 脳内のアミロイド β 蛋白はネプリライシンで分解される. *Molecular Medicine*, 38, 814-816.
32. 深見真二郎・岩田修永・西道隆臣 (2001). アルツハイマー病におけるプロテアーゼの関与と臨床応用. *組織細胞工学* 27, 334-337.
33. 岩田修永・西道隆臣 (2001). アルツハイマー病. *実験医学* 19, 2259-2264.
34. 津吹聡・西道隆臣 (2002). アルツハイマー病とプロテアーゼ. *Molecular Medicine*, 39, 26-31.
35. 濱江美・西道隆臣 (2001). アミロイド β タンパク質の分解システムとアルツハイマー病. *細胞工学* 20, 1685-1689.
36. 西道隆臣 (2001). アルツハイマー病を科学する. *現代化学* 12, 52-58.
37. 西道隆臣 (2002). $A\beta$ 分解系とアルツハイマー病. *Dementia Japan*, 16, 18-21.
38. 西道隆臣・津吹聡 (2002). アルツハイマー病： $A\beta$ 分解の促進. *Cognition and Dementia*, 1, 123-128.
39. 北爪しのぶ・橋本康弘・西道隆臣 (2003). アルツハイマー病にかかわる β セクレターゼと糖鎖. *バイオサイエンスとインダストリー*, 60, 685-686.
40. 北爪しのぶ・橋本康弘・西道隆臣 (2003). BACEと糖転移酵素. 蛋白質核酸酵素増刊号 *糖鎖機能第3の生命鎖*

41. 岩田修永・西道隆臣 (2003). A β 分解の分子メカニズム. *医学の歩み*, 206, 193-197.
42. 岩田修永・西道隆臣 (2003). アミロイド β ペプチド代謝とアルツハイマー病. *日薬理誌 (Folia Pharmcol. Jpn.)*, 122, 5-14.
43. 斉藤貴志・西道隆臣 (2003). アルツハイマー病の創薬ターゲット分子. *医学の歩み*, in press.
44. 高木淑江・岩田修永・西道隆臣 (2003). A β の分解過程に關与する酵素の分子生物学と酵素作用: ネプリライシン. *日本臨床*, 61 卷, 増刊号 9. (痴呆症学 (1) - 高齢社会と脳科学の進歩-), pp. 42-45.
45. 西道隆臣 (2004). 第 3 章「プロテオリシスと疾患」概論. 実験医学増刊号 *タンパク質の修飾と分解異常と病氣*, 22(2), 268-272.
46. 岩田修永・西道隆臣 (2004). アルツハイマー病と A β 代謝. 実験医学増刊号 *タンパク質の修飾と分解異常と病氣*, 22(2), 273-279.
47. 樋口真人・岩田修永・西道隆臣 (2004). アルツハイマー病のモデル動物. *細胞工学*, 23, 678-684.
48. 西道隆臣・樋口真人 (2004). アルツハイマー病の病理・病態生理. *最新医学・別冊 新しい診療と治療の ABC 22, 神経 3 アルツハイマー病*, 40-51.
49. 北爪しのぶ・小谷典弘・中藤博志・西道隆臣・橋本康弘 (2004). アルツハイマー病 β セクレターゼ基質としての糖転移酵素. *蛋白質核酸酵素*, 49, 2468-2472.
50. 西道隆臣 (2004). A β 代謝とアルツハイマー病. *脳 21*, 113-118.
51. 樋口真人・岩田修永・西道隆臣 (2004). ネプリライシン. *BIO Clinica*, 19, 665-669.
52. 岩田修永・西道隆臣 (2004). ネプリライシン-中性エンドペプチダーゼ, *生体の科学*, 55, 540-541.
53. 末元隆寛・西道隆臣 (2004). アルツハイマー病の診断・治療法の開発~プロテアーゼ療法を中心に~. *Bio ベンチャー*, 11-12 月号, 17-20.
54. 岩田修永・小澤敬也・西道隆臣 (2005). Alzheimer 病の遺伝子治療. *日本臨床*, 63, 394-400.
55. 斉藤貴志・岩田修永・西道隆臣 (2005). ソマトスタチンによるアルツハイマー病の治療, *Dementia Japan*, 19, 86-90.
56. 斉藤貴志・岩田修永・西道隆臣 (2005). A β 分解機構-ソマトスタチンによるネプリライシン活性制御-. *神経研究の進歩*, 49, 339-336.
57. 岩田修永・樋口真人・斉藤貴志・西道隆臣 (2005). Alzheimer 病の最前線 3. 発症前診断と予防・治療. *脳と神経*, 57, 855-866.
58. 斉藤貴志・岩田修永・西道隆臣 (2005). A β 分解促進によるアルツハイマー病治療へのアプローチ-ソマトスタチンによるネプリライシン活性制御機構-. *THE LUNG perspective*, 13, 439-438.
59. 岩田修永・水上浩明・小澤敬也・西道隆臣 (2005). 遺伝子治療学-遺伝子診断の進歩と遺伝子治療の展望-Alzheimer 病の動物モデルでの実験的遺伝子治療. *日本臨床*, 63, 691-698.
60. 丸山将浩・樋口真人・岩田修永・須原哲也・西道隆臣 (2006). アルツハイマー病の画像診断. *BIO Clinica*, 21, 361-365.
61. 西道隆臣 (2006). アミロイド β ペプチド代謝系を利用した治療法. *Progress in Medicine*, 26, 425-428.
62. 樋口真人・西道隆臣 (2006). MRI を用いてマウスの老人斑を見る. *生体の科学*, 57, 145-152.
63. 岩田修永・斉藤貴志・末元隆寛・西道隆臣 (2006). Alzheimer 病におけるアミロイド分子病態. *Mebio*, 23, 22-33.
64. 津吹聡・西道隆臣 (2006). 治療薬開発 クリアランス療法. *Pharma Medica*, 27(7), 67-70.
65. 樋口真人・岩田修永・西道隆臣・須原哲也 (2006). MRI によるアミロイドイメージング. *Medical Practice*, 23, 1185-1187.
66. 斉藤貴志・西道隆臣 (2006). ネプリライシンを軸とする治療展開. *Medical Practice*, 23, 1195-1196.
67. 西道隆臣 (2006). アミロイド β ペプチド代謝とアルツハイマー病. *老年精神医学雑誌*, 17(II), 100-104.
68. 黄樹明・岩田修永・西道隆臣 (2006). アミロイド分解機構とアルツハイマー病. *最新医学*, 61, 2399-2404.
69. 西道隆臣 (2007). アミロイド β ペプチド代謝と Alzheimer 病. *医学の歩み*, 220(5), 365-368.
70. 末元隆寛・西道隆臣 (2007). 老人斑の分子生物学. *Clinical Neuroscience*, 25(2), 148-149.
71. 毛利彰宏・野田幸裕・岩田修永・黄樹明・中島龍一・末元隆寛・樋口真人・Staufenbiel Matthias・小久保秀子・山口晴保・西道隆臣・鍋島俊隆(2007). アミロイド代謝異常と認知機能. *分子精神医学*, 7(2), 169-172.
72. 末元隆寛・斉藤貴志・岩田修永・西道隆臣 (2007). ネプリライシンによる A β 分解とアルツハイマー病治療戦略. *実験医学*, 25 (13), 1934-1939.
73. 西道隆臣 (2007). アルツハイマー病の原因療法に関する最近の知見. *日本老年医学会雑誌*, 44, 690-693.
74. 西道隆臣 (2007). アルツハイマー病の分子機構. *ファルマシア*, 43, 865-870.
75. 西道隆臣 (2008). ネプリライシン. *アルツハイマー病-基礎研究から予防・治療の新しいパラ*

- ダイム-(日本臨床増刊1), 66, 67-71.
76. 岩田修永・斉藤貴志・西道隆臣 (2008). ネプリライシン活性増強剤. *アルツハイマー病-基礎研究から予防・治療の新しいパラダイム-(日本臨床増刊1)*, 66, 502-506.
 77. 浅井将・西道隆臣・丸山敬・岩田修永 (2008). β -セクレターゼ阻害剤(KMI-429). *アルツハイマー病-基礎研究から予防・治療の新しいパラダイム-(日本臨床増刊1)*, 66, 488-492.
 78. 高野二郎・西道隆臣 (2008). カルパスタチン遺伝子改変マウスを用いた神経変性および生理機構の解析. *細胞内の輪廻転生-タンパク質の分解機構(実験医学 増刊)*, 26, 316-321.
 79. 西道隆臣 (2008). アミロイド β ペプチド蓄積機構. *臨床検査*, 52, 261-265.
 80. 岩田修永・西道隆臣 (2008). アルツハイマー病の実験的遺伝子治療. *臨床検査*, 52, 315-320.
 81. 西道隆臣 (2008). アミロイド β ペプチド代謝異常とアルツハイマー病. *BIO Clinica*, 23, 703-706.
 82. 西道隆臣 (2008). アルツハイマー病の分子病理学. *生体の科学*, 59, 470-471.
 83. 斉藤貴志・岩田修永・津吹聡・西道隆臣 (2008). アミロイド β 分解を標的とするアルツハイマー病の予防・治療戦略. *実験医学*, 26(16), 2566-2571.
 84. 斉藤貴志・岩田修永・津吹聡・西道隆臣 (2010). $A\beta$ 分解酵素ネプリライシンによるアルツハイマー病の予防・治療戦略. *脳21*, 13(1), 53-58.
 85. 西道隆臣 (2010). Alzheimer 病 7)治療 2 ネプリライシンへの注目. *神経内科*, 72(Suppl.6), 299-302.
 86. 岩田修永・西道隆臣 (2010). アルツハイマー病の謎を解く (単行本), 中外医学社.
 87. 西道隆臣 (2011). APP 代謝と $A\beta$ 産生. *認知症学-その解明と治療の最新知見-*, (日本臨床別冊), 69(Σ0ππλ. 8), 41-47.
 88. Saido T.C. (2013). Metabolism of amyloid β peptide and pathogenesis of Alzheimer's disease. *Proc. Jpn. Acad. Ser. B. Phys. Biol. Sci.* 89(7), 321-339.
 89. 塚越かおり・西道隆臣 (2014). アミロイド β 代謝の分子機構から紐解くアルツハイマー病. *生体の科学*, 65, 69-73.

IV. 編集

1. *A β Metabolism and Alzheimer's Disease*. (Saido, T.C. ed., 2003), Landes Bioscience (Georgetown, Tex (www.eurekah.com)).
2. 実験医学増刊号 *タンパク質の修飾と分解研究* 編集 田中啓二・西道隆臣 (2004), 羊土社.

V. 特許

1. 「アミロイド親和性化合物」 (国内特許)

出願人：(株) 同仁化学研究所、独立行政法人理化学研究所
 発明者：西道隆臣、樋口真人、岩田修永、佐々本一美、佐藤求美
 (国内出願) 出願番号：2005-515170 出願日：平成 16 年 10 月 29 日
 特許番号：3877754 登録日：平成 18 年 11 月 10 日
2. 「アルツハイマー病モデル動物およびその用途」 (国内特許)

出願人：独立行政法人理化学研究所
 発明者：西道隆臣、岩田修永、斉藤貴志、高野二郎、末元隆寛
 特許番号：4942081 特願 2006-170776 出願日：平成 18 年 6 月 20 日 登録日：平成 24 年 3 月 9 日
3. Model mouse of Alzheimer's disease expressing APP716 and use thereof (アメリカ特許)

特許番号：US7745688 出願番号：11/765730 出願日：2007 年 6 月 20 日 登録日：2010 年 6 月 29 日
4. Model animal of Alzheimer's disease and use thereof (ヨーロッパ特許)

特許番号：1870472 出願番号：7252506.6 出願日：2007 年 6 月 20 日 登録日：2011 年 11 月 23 日